


PG-SGA (n=402 as of 2 May 2021)

Note: Citations are included based on official citation (vs Epub date) to prevent duplicate citations.



2021 (n=24 as of 2 May 2021)

- Cancer Cachexia in Adult Patients: ESMO Clinical Practice Guidelines**
<https://www.esmo.org/guidelines/supportive-and-palliative-care/cancer-cachexia-in-adult-patients>
J. Arends, F. Strasser, S. Gonella, T. S. Solheim, C. Madeddu, P. Ravasco, L. Buonaccorso, M. A. E. de van der Schueren, C. Baldwin, M. Chasen & C. I. Ripamonti on behalf of the ESMO Guidelines Committee
ESMO Open (2021)
Note: Approved by the ESMO Guidelines Committee: February 2021. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).
- The Clinical Value of Nutritional Care before and during Active Cancer Treatment.**
Aprile G, Basile D, Giaretta R, Schiavo G, La Verde N, Corradi E, Monge T, Agustoni F, Stragliotto S.
Nutrients. 2021 Apr 5;13(4):1196. doi: 10.3390/nu13041196.
PMID: 33916385 Review.
- NONINVASIVE BREATH TESTS FOR DIAGNOSIS OF SIBO AND LACTOSE INTOLERANCE IN PATIENTS ON CHEMOTHERAPY TREATMENT FOR COLORECTAL AND GASTRIC CANCER.**
Gonçalves AR, Ambrogini O Jr, Forones NM.
Arq Gastroenterol. 2021 Jan-Mar;58(1):26-31. doi: 10.1590/S0004-2803.202100000-06.
PMID: 33909793
- Impact of malnutrition diagnosed using GLIM criteria on clinical outcomes of patients with gastric cancer.**
Xu LB, Shi MM, Huang ZX, Zhang WT, Zhang HH, Chen XD, Shen X.
JPEN J Parenter Enteral Nutr. 2021 Apr 28. doi: 10.1002/jpen.2127. Online ahead of print.
PMID: 33908649
- Malnutrition and the Survival of Cervical Cancer Patients: A Prospective Cohort Study Using the PG-SGA Tool.**
Argefa TG, Roets L.
Nutr Cancer. 2021 Apr 24:1-9. doi: 10.1080/01635581.2021.1910320. Online ahead of print.
PMID: 33899611
- Response Prediction in Immune Checkpoint Inhibitor Immunotherapy for Advanced Hepatocellular Carcinoma.**
Hung HC, Lee JC, Wang YC, Cheng CH, Wu TH, Lee CF, Wu TJ, Chou HS, Chan KM, Lee WC.
Cancers (Basel). 2021 Mar 31;13(7):1607. doi: 10.3390/cancers13071607.
PMID: 33807219
- Nutritional Status and Feeding Regimen of Patients with Esophagus Cancer-A Study from Vietnam.**
Pham Van B, Nguyen Thi Thanh H, Le Thi H, Nguyen Le Tuan A, Dang Thi Thu H, Dang Viet D.
Healthcare (Basel). 2021 Mar 6;9(3):289. doi: 10.3390/healthcare9030289.
PMID: 33800823
- Malnourished lung cancer patients have poor baseline functional capacity but show greatest improvements with multimodal prehabilitation.**
Ferreira V, Lawson C, Gillis C, Scheede-Bergdahl C, Chevalier S, Carli F.

- Nutr Clin Pract. 2021 Mar 31. doi: 10.1002/ncp.10655. Online ahead of print.
PMID: 33786870
8. An observational study on nutrition status in gastric cancer patients receiving ramucirumab plus taxane: BALAST study.
Mizukami T, Miyaji T, Narita Y, Matsushima T, Ogura T, Miyagaki H, Kawabata R, Horie Y, Kawaguchi T, Muro K, Hara H, Yamaguchi T, E Nakajima T.
Future Oncol. 2021 Mar 25. doi: 10.2217/fo-2021-0076. Online ahead of print.
PMID: 33764163
 9. Role of Muscle Mass and Nutritional Assessment Tools in Evaluating the Nutritional Status of Patients With Locally Advanced Nasopharyngeal Carcinoma.
Pan X, Liu H, Feng G, Xiao J, Wang M, Liu H, Xie X, Rong Z, Wu J, Liu M.
Front Nutr. 2021 Mar 8;8:567085. doi: 10.3389/fnut.2021.567085. eCollection 2021.
PMID: 33763439
 10. Malnutrition score and Body Mass Index as nutritional screening tools for hemodialysis patients.
Hassanin IA, Hassanein H, Elmenshawy P, El-Gameel D, Elsheikh AA, El-Kobrosly A, Samir B, Emil R, Alaa M, Selim DH.
Clin Nutr ESPEN. 2021 Apr;42:403-406. doi: 10.1016/j.clnesp.2021.01.044. Epub 2021 Feb 9.
PMID: 33745613
 11. A poorer nutritional status impacts quality of life in a sample population of elderly cancer patients.
Rios TC, de Oliveira LPM, da Costa MLV, da Silva Baqueiro Boulhosa RS, Roriz AKC, Ramos LB, Bueno AA.
Health Qual Life Outcomes. 2021 Mar 17;19(1):90. doi: 10.1186/s12955-021-01735-7.
PMID: 33731093
 12. Lifestyle and Dietary Factors Associated with Inflammatory Bowel Disease among Jordanian Patients.
Qualqily TR, Rayyan YM, Tayyem RF.
J Gastrointest Liver Dis. 2021 Mar 13;30(1):37-45. doi: 10.15403/jgld-3106.
PMID: 33723553
 13. A Bioadhesive Barrier-Forming Oral Liquid Gel Improved Oral Mucositis and Nutritional Status in Patients With Head and Neck Cancers Undergoing Radiotherapy: A Retrospective Single Center Study.
Wei J, Wu J, Wang H, Wang B, Zhao T, Meng L, Dong L, Jiang X.
Front Oncol. 2021 Feb 22;11:617392. doi: 10.3389/fonc.2021.617392. eCollection 2021.
PMID: 33692954
 14. Skeletal muscle loss during chemotherapy and its association with survival and systemic treatment toxicity in metastatic colorectal cancer: An AGEO prospective multicenter study.
Gallois C, Bourillon C, Auclin E, Artru P, Lièvre A, Lecomte T, Locher C, Marthey L, Faroux R, Pernot S, Barret M, Taieb J.
Clin Res Hepatol Gastroenterol. 2021 Mar 1;45(6):101603. doi: 10.1016/j.clinre.2020.101603. Online ahead of print.
PMID: 33662782
 15. Association of adductor pollicis muscle thickness and handgrip strength with nutritional status in hospitalized individuals.
Yoshimura da Costa T, Yukari Suganuma J, Faria S, Bernardes Spexoto MC.
Nutr Hosp. 2021 Mar 3. doi: 10.20960/nh.03319. Online ahead of print.
PMID: 33653077 English.
 16. Low skeletal muscle radiodensity is the best predictor for short-term major surgical complications in gastrointestinal surgical cancer: A cohort study.
Carvalho ALM, Gonzalez MC, Sousa IM, das Virgens IPA, Medeiros GOC, Oliveira MN, Dantas JCAS, Trussardi Fayh AP.
PLoS One. 2021 Feb 19;16(2):e0247322. doi: 10.1371/journal.pone.0247322. eCollection 2021.
PMID: 33606786
 17. Influence of nutritional status and frailty phenotype on health-related quality of life of patients with bladder or kidney cancer.
Dos Reis PF, de França PS, Dos Santos MP, Martucci RB.
Support Care Cancer. 2021 Feb 19. doi: 10.1007/s00520-021-06058-3. Online ahead of print.
PMID: 33606096
 18. Malnutrition screening on hospital admission: impact of overweight and obesity on comparative performance of MUST and PG-SGA SF.
van Vliet IMY, Gomes-Neto AW, de Jong MFC, Bakker SJL, Jager-Wittenaar H, Navis GJ.
Eur J Clin Nutr. 2021 Feb 15. doi: 10.1038/s41430-020-00848-4. Online ahead of print.
PMID: 33589809
 19. Home enteral nutrition for postoperative elderly patients with esophageal cancer.
Chen X, Zhao G, Zhu L.
Ann Palliat Med. 2021 Jan;10(1):278-284. doi: 10.21037/apm-20-2197.

PMID: 33545764

20. Clinical malnutrition predictive model among gynecologic cancer patients prior to elective operation: A cross-sectional study.
Ho CY, Ibrahim Z, Abu Zaid Z, Mat Daud Z', Md Yusop NB.
Clin Nutr. 2021 Jan 12:S0261-5614(21)00018-2. doi: 10.1016/j.clnu.2021.01.008. Online ahead of print.
PMID: 33485706
21. Comprehensive assessment of nutritional status and nutritional-related complications in newly diagnosed esophageal cancer patients: A cross-sectional study.
Movahed S, Varshoe Tabrizi F, Pahlavani N, Seilanian Toussi M, Motlagh A, Eslami S, Ghayour-Mobarhan M, Nematy M, Ferns GA, Emadzadeh M, Khadem-Rezaiyan M, Alavi AH, Salek M, Zabeti P, Norouzy A.
Clin Nutr. 2021 Jan 11:S0261-5614(21)00008-X. doi: 10.1016/j.clnu.2021.01.003. Online ahead of print. PMID: 33509666
22. An individualized food-based nutrition intervention reduces visceral and total body fat while preserving skeletal muscle mass in breast cancer patients under antineoplastic treatment.
Limon-Miro AT, Valencia ME, Lopez-Teros V, Alemán-Mateo H, Méndez-Estrada RO, Pacheco-Moreno BI, Astiazaran-Garcia H.
Clin Nutr. 2021 Jan 9:S0261-5614(21)00015-7. doi: 10.1016/j.clnu.2021.01.006. Online ahead of print.
PMID: 33485708
23. Is hand grip strength a necessary supportive index in the phenotypic criteria of the GLIM-based diagnosis of malnutrition in patients with cancer?
Yin L, Lin X, Zhao Z, Li N, He X, Zhang M, Yang J, Guo Z, Li Z, Wang K, Weng M, Cong M, Li S, Li T, Ma H, Ba Y, Li W, Cui J, Liu J, Song C, Shi H, Xu H.
Support Care Cancer. 2021 Jan 4. doi: 10.1007/s00520-020-05975-z. Online ahead of print.
PMID: 33398429

2020

1. Disease Activity, Functional Ability and Nutritional Status in Patients with Rheumatoid Arthritis: An Observational Study in Greece.
Markaki AG, Gkiouras K, Papakitsos C, Grammatikopoulou MG, Papatsaraki A, Ioannou R, Tsagkari A, Papamitsou T, Bogdanos DP.
Mediterr J Rheumatol. 2020 Dec 28;31(4):406-411. doi: 10.31138/mjr.31.4.406. eCollection 2020 Dec.
PMID: 33521573
2. Preoperative Fasting Abbreviation with Whey Protein Reduces the Occurrence of Postoperative Complications in Patients With Head and Neck Cancer: A Randomized Clinical Trial.
de Carvalho CS, Silva TH, André JCS, de Barros LAS, Ferreira AA, Murad LB, Peres WAF.
Nutr Clin Pract. 2020 Dec 29. doi: 10.1002/ncp.10624. Online ahead of print.
PMID: 33373478
3. Association of malnutrition with postoperative complication risk after curative surgery for oral cancer: Observational study.
Tsai YT, Lai CH, Huang TH, Hsieh CC, Huang EI, Lee YC, Yeh HK, Tsai MS, Chang GH, Hsu CM.
Medicine (Baltimore). 2020 Dec 24;99(52):e23860. doi: 10.1097/MD.00000000000023860.
PMID: 33350779
4. Malnutrition according to GLIM criteria in stable renal transplant recipients: Reduced muscle mass as predominant phenotypic criterion.
Boslooper-Meulenbelt K, van Vliet IMY, Gomes-Neto AW, de Jong MFC, Bakker SJL, Jager-Wittenaar H, Navis GJ.
Clin Nutr. 2020 Dec 8:S0261-5614(20)30655-5. doi: 10.1016/j.clnu.2020.11.034. Online ahead of print.
PMID: 33341314
5. Malnutrition and nutrition impact symptoms (NIS) in surgical patients with cancer.
Viana ECRM, Oliveira IDS, Rechinelli AB, Marques IL, Souza VF, Spexoto MCB, Pereira TSS, Guandalini VR.
PLoS One. 2020 Dec 15;15(12):e0241305. doi: 10.1371/journal.pone.0241305. eCollection 2020.
PMID: 33320857
6. The Validity of the GLIM Criteria for Malnutrition in Hospitalized Patients with Gastric Cancer.
Qin L, Tian Q, Zhu W, Wu B.
Nutr Cancer. 2020 Dec 11:1-8. doi: 10.1080/01635581.2020.1856894. Online ahead of print.
PMID: 33305620
7. Computed-Tomography Body Composition Analysis Complements Pre-Operative Nutrition Screening in Colorectal Cancer Patients on an Enhanced Recovery after Surgery Pathway.
Klassen P, Baracos V, Gramlich L, Nelson G, Mazurak V, Martin L.
Nutrients. 2020 Dec 5;12(12):E3745. doi: 10.3390/nu12123745
8. Predictive Factors of Death on Hospitalization in Patients With Advanced Cancer in Palliative Care.

Rosa KSDC, de Paiva Cypriano R, Albuquerque NM, de Oliveira LC.

Am J Hosp Palliat Care. 2020 Dec 3;1049909120976398. doi: 10.1177/1049909120976398. Online ahead of print.PMID: 33267634

9. Nutritional assessment by subjective methods versus computed tomography to predict survival in oncology patients.
Von Geldern P, Salas C, Alvayay P, Silva C, de la Maza MP.
Nutrition. 2020 Sep 2;111006. doi: 10.1016/j.nut.2020.111006. Online ahead of print.PMID: 33051113
10. Baseline nutritional status could be a predictor for radiation esophagitis in esophageal cancer patients undergoing radiotherapy.
Dong J, Zhang W, Zhang T, Chen X, Zhao J, Zeng Y, Chen Y, Wei X, Lei T, Wang P, Zhao L, Wang J, Yuan Z, Song Y, Liu N, Wang K, Pang Q.
Ann Transl Med. 2020 Sep;8(18):1148. doi: 10.21037/atm-20-4078
11. Malnutrition Prevalence according to the GLIM Criteria in Head and Neck Cancer Patients Undergoing Cancer Treatment.
Steer B, Loeliger J, Edbrooke L, Deftereos I, Laing E, Kiss N.
Nutrients. 2020 Nov 13;12(11):E3493. doi: 10.3390/nu12113493
12. Nutritional Status, Functional Status, and Quality of Life - What is the Impact and Relationship on Cancer Patients?
Santos IM, Mendes L, Carolino E, Santos CA.
Nutr Cancer. 2020 Oct 29;1-14. doi: 10.1080/01635581.2020.1839520.
13. Best Evidence to Best Practice: Implementing an Innovative Model of Nutrition Care for Patients with Head and Neck Cancer Improves Outcomes.
Findlay M, Rankin NM, Shaw T, White K, Boyer M, Milross C, De Abreu Lourenço R, Brown C, Collett G, Beale P, Bauer JD.
Nutrients. 2020 May 19;12(5):1465. doi: 10.3390/nu12051465.
14. Nutritional screening tools for adult cancer patients: A hierarchical Bayesian latent-class meta-analysis.
Ruan X, Nakyeeyune R, Shao Y, Shen Y, Niu C, Zang Z, Miles T, Liu F.
Clin Nutr. 2020 Oct 3:S0261-5614(20)30505-7. doi: 10.1016/j.clnu.2020.09.033. Online ahead of print.
15. Using Global Criteria to Detect Malnutrition: Application in Disease States.
Kirsch R, Matthews K, Williams V.
Nutr Clin Pract. 2020 Feb;35(1):85-97. doi: 10.1002/ncp.10444. Epub 2019 Nov 26.
16. Relationship between nutritional status on admission to the intensive care unit and clinical outcomes.
Kaddoura R, Shanks A, Chapman M, O'Connor S, Lange K, Yandell R.
Nutr Diet. 2020 Sep 28. doi: 10.1111/1747-0080.12637. Online ahead of print.
17. Applicability of the Nutrition Risk Screening 2002 Combined with a Patient-Generated Subjective Global Assessment in Patients with Nasopharyngeal Carcinoma.
Pan X, Wang C, Li R, Su L, Zhang M, Cai C, Liu S, Zhang W, Song J, Hong J.
Cancer Manag Res. 2020 Sep 9;12:8221-8227. doi: 10.2147/CMAR.S261945. eCollection 2020.
18. SARC-CalF-assessed risk of sarcopenia and associated factors in cancer patients.
Souza VF, Ribeiro TSC, Marques RA, Petarli GB, Pereira TSDS, Rocha JLM, Guandalini VR.
Nutr Hosp. 2020 Sep 22. doi: 10.20960/nh.03158. Online ahead of print. PMID: 32960621 English.
19. Clinical measurement properties of malnutrition assessment tools for use with patients in hospitals: a systematic review.
Xu YC, Vincent JL.
Nutr J. 2020 Sep 21;19(1):106. doi: 10.1186/s12937-020-00613-0. PMID: 32957989
20. Hand grip strength as predictor of undernutrition in hospitalized patients with cancer and a proposal of cut-off.
Mendes NP, Barros TA, Faria BS, Aguiar ES, Oliveira CA, Souza ECG, Pereira SS, Rosa COB.
Clin Nutr ESPEN. 2020 Oct;39:210-214. doi: 10.1016/j.clnesp.2020.06.011. Epub 2020 Jul 22. PMID: 32859318
21. Quality of life and its relation with nutritional status in patients with incurable cancer in palliative care.
de Oliveira LC, Abreu GT, Lima LC, Aredes MA, Wiegert EVM.
Support Care Cancer. 2020 Oct;28(10):4971-4978. doi: 10.1007/s00520-020-05339-7. Epub 2020 Feb 7.PMID: 32034514
22. Predicting Postoperative Events in Patients With Gastric Cancer: A Comparison of Five Nutrition Assessment Tools.
Hsueh SW, Liu KH, Hung CY, Tsai CY, Hsu JT, Tsang NM, Hsueh WH, Yang C, Chou WC.
In Vivo. 2020 Sep-Oct;34(5):2803-2809. doi: 10.21873/invivo.12106.PMID: 32871818
23. High prevalence of malnutrition both on hospital admission and predischarge.
van Vliet IMY, Gomes-Neto AW, de Jong MFC, Jager-Wittenaar H, Navis GJ.
Nutrition. 2020 Sep;77:110814. doi: 10.1016/j.nut.2020.110814. Epub 2020 Mar 19.PMID: 32442829
24. The patient-generated subjective global assessment is a promising screening tool for cancer cachexia.

- Cong M, Song C, Xu H, Song C, Wang C, Fu Z, Ba Y, Wu J, Xie C, Chen G, Chen Z, Zhou L, Li T, Deng L, Xin L, Yang L, Cui J, Shi H; Investigation on Nutrition Status and Clinical Outcome of Common Cancers (INSCOC) Group.
BMJ Support Palliat Care. 2020 Aug 21;bmjspcare-2020-002296. doi: 10.1136/bmjspcare-2020-002296. Online ahead of print.PMID: 32826265
25. Effect of Oral Nutritional Supplements on Patients with Esophageal Cancer During Radiotherapy.
Yang L, Gao J, Zhou Y, Tao Z, He J, Yang J, Wang R, Zhang Y, Huang Y, Zhou L, Sun B.
Cancer Biother Radiopharm. 2020 Aug 20. doi: 10.1089/cbr.2020.3888. Online ahead of print.PMID: 32833549
 26. Nutritional status and survival of 8247 cancer patients with or without diabetes mellitus-results from a prospective cohort study.
Cong M, Zhu W, Wang C, Fu Z, Song C, Dai Z, Yao K, Guo Z, Lin Y, Shi Y, Hu W, Ba Y, Li S, Li Z, Wang K, Wu J, He Y, Yang J, Xie C, Song X, Chen G, Ma W, Luo S, Chen Z, Ma H, Zhou C, Wang W, Luo Q, Shi Y, Qi Y, Jiang H, Guan W, Chen J, Chen J, Fang Y, Zhou L, Feng Y, Tan R, Li T, Ou J, Zhao Q, Wu J, Deng L, Lin X, Yang L, Xu H, Li W, Yu L, Shi H; Investigation on Nutrition Status, Clinical Outcome of Common Cancers (INSCOC) Group.
Cancer Med. 2020 Aug 19. doi: 10.1002/cam4.3397. Online ahead of print.PMID: 32813914
 27. Prevention of underfeeding during enteral nutrition after gastrectomy in adult patients with gastric cancer: an evidence utilization project.
Zhang W, Zhu NN, Jiang HJ, Tao XB, Lu WH, Shen HC, Wu YD, Li KK, Huo R.
Int J Evid Based Healthc. 2020 Aug 18. doi: 10.1097/XEB.000000000000248. Online ahead of print.PMID: 32815858
 28. Nutritional assessment and risk factors associated to malnutrition in patients with esophageal cancer.
Cao J, Xu H, Li W, Guo Z, Lin Y, Shi Y, Hu W, Ba Y, Li S, Li Z, Wang K, Wu J, He Y, Yang J, Xie C, Zhou F, Song X, Chen G, Ma W, Luo S, Chen Z, Cong M, Ma H, Zhou C, Wang W, Qi Luo, Shi Y, Qi Y, Jiang H, Guan W, Chen J, Chen J, Fang Y, Zhou L, Feng Y, Tan R, Ou J, Zhao Q, Wu J, Xin Lin, Yang L, Fu Z, Wang C, Deng L, Li T, Song C, Shi H; Investigation on Nutrition Status and Clinical Outcome of Common Cancers (INSCOC) Group, Chinese Society of Nutritional Oncology.
Curr Probl Cancer. 2020 Aug 14:100638. doi: 10.1016/j.currprobcancer.2020.100638. Online ahead of print.PMID: 32829957 Review.
 29. Nutritional Status and Quality of Life in Hospitalised Cancer Patients Who Develop Intestinal Failure and Require Parenteral Nutrition: An Observational Study.
Plyta M, Patel PS, Fragkos KC, Kumagai T, Mehta S, Rahman F, Di Caro S.
Nutrients. 2020 Aug 7;12(8):E2357. doi: 10.3390/nu12082357.PMID: 32784602
 30. Prognostic Markers of Overall Survival in Cancer Patients Attending a Cachexia Support Service: An Evaluation of Clinically Assessed Physical Function, Malnutrition and Inflammatory Status.
Bland KA, Zopf EM, Harrison M, Ely M, Cormie P, Liu E, Dowd A, Martin P.
Nutr Cancer. 2020 Aug 6:1-11. doi: 10.1080/01635581.2020.1800765. Online ahead of print. PMID: 32757683
 31. Serum Concentrations of Carotenoids and Fat-Soluble Vitamins in Relation to Nutritional Status of Patients with Ovarian Cancer.
Terlikowska KM, Dobrzycka B, Kinalski M, Terlikowski SJ.
Nutr Cancer. 2020 Aug 4:1-9. doi: 10.1080/01635581.2020.1801779. Online ahead of print.PMID: 32748660
 32. Nutritional Status in Patients with Esophageal Cancer Receiving Chemoradiation and Assessing the Efficacy of Usual Care for Nutritional Managements.
Movahed S, Norouzy A, Ghanbari-Motlagh A, Eslami S, Khadem-Rezaiyan M, Emadzadeh M, Nematy M, Ghayour-Mobarhan M, Varshoe Tabrizi F, Bozzetti F, Seilanian Toussi M.
Asian Pac J Cancer Prev. 2020 Aug 1;21(8):2315-2323. doi: 10.31557/APJCP.2020.21.8.2315.PMID: 32856860
 33. Linguistic and content validation of the translated and culturally adapted PG-SGA, as perceived by Norwegian cancer patients and healthcare professionals.
Henriksen C, Thoresen L, Fjoseide B, Lorentzen SS, Balstad TR, Ottery FD, Jager-Wittenaar H.
Clin Nutr ESPEN. 2020 Aug;38:178-184. doi: 10.1016/j.clnesp.2020.05.006. Epub 2020 Jun 9.PMID: 32690154
 34. Nutritional status and its effect on complications in patients with colorectal cancer.
Karin M, Bogut A, Hojsak I, Babić E, Volarić M, Bevanda M.
Wien Klin Wochenschr. 2020 Aug;132(15-16):431-437. doi: 10.1007/s00508-020-01671-4. Epub 2020 May 25.PMID: 32451819
 35. Coexistence of malnutrition, frailty, physical frailty and disability in patients with COPD starting a pulmonary rehabilitation program.
Ter Beek L, van der Vaart H, Wempe JB, Krijnen WP, Roodenburg JLN, van der Schans CP, Jager-Wittenaar H.
Clin Nutr. 2020 Aug;39(8):2557-2563. doi: 10.1016/j.clnu.2019.11.016. Epub 2019 Nov 16.PMID: 31796229
 36. Malnutrition Screening and Assessment in the Cancer Care Ambulatory Setting: Mortality Predictability and Validity of the Patient-Generated Subjective Global Assessment Short form (PG-SGA SF) and the GLIM Criteria.
De Groot LM, Lee G, Ackerie A, van der Meij BS.
Nutrients. 2020 Jul 30;12(8):E2287. doi: 10.3390/nu12082287.PMID: 32751724

37. Trabecular bone score may indicate chronic kidney disease-mineral and bone disorder (CKD-MBD) phenotypes in hemodialysis patients: a prospective observational study.
Yun HJ, Ryoo SR, Kim JE, Choi YJ, Park I, Shin GT, Kim H, Jeong JC.
BMC Nephrol. 2020 Jul 25;21(1):299. doi: 10.1186/s12882-020-01944-0.PMID: 32711466
38. The effect of ginger (*Zingiber officinale* Roscoe) in patients with advanced cancer.
Bhargava R, Chasen M, Elten M, MacDonald N.
Support Care Cancer. 2020 Jul;28(7):3279-3286. doi: 10.1007/s00520-019-05129-w. Epub 2019 Nov 19.PMID: 31745695
39. The Impact of Preoperative Immunonutrition and Standard Polymeric Supplements on Patient Outcomes After Pelvic Exenteration Surgery. Taking Compliance Into Consideration: A Randomized Controlled Trial.
Hogan S, Solomon M, Rangan A, Ferrie S, Carey S.JPEN J Parenter Enteral Nutr. 2020 Jul;44(5):806-814. doi: 10.1002/jpen.1709. Epub 2019 Sep 18.PMID: 31531997
40. High prevalence of malnutrition in Internal Medicine wards - a multicentre ANUMEDI study.
Marinho R, Pessoa A, Lopes M, Rosinhas J, Pinho J, Silveira J, Amado A, Silva S, Oliveira BMPM, Marinho A, Jager-Wittenaar H.
Eur J Intern Med. 2020 Jun;76:82-88. doi: 10.1016/j.ejim.2020.02.031. Epub 2020 Mar 9.PMID: 32165113
41. Does malnutrition influence hospital reimbursement? A call for malnutrition diagnosis and coding.
Fernandes AC, Pessoa A, Vigário MA, Jager-Wittenaar H, Pinho J.
Nutrition. 2020 Jun;74:110750. doi: 10.1016/j.nut.2020.110750. Epub 2020 Jan 25.PMID: 32222583
42. Alleviation of dry mouth by saliva substitutes improved swallowing ability and clinical nutritional status of post-radiotherapy head and neck cancer patients: a randomized controlled trial.
Nuchit S, Lam-Ubol A, Paemuang W, Talungchit S, Chokchaitam O, Mungkung OO, Pongcharoen T, Trachootham D.
Support Care Cancer. 2020 Jun;28(6):2817-2828. doi: 10.1007/s00520-019-05132-1. Epub 2019 otogNov 15.PMID: 31732852
43. Impact of weight loss on cancer patients' quality of life at the beginning of the chemotherapy.
Álvaro Sanz E, Abilés J, Garrido Siles M, Pérez Ruiz E, Alcaide García J, Rueda Domínguez A.
Support Care Cancer. 2020 May 18. doi: 10.1007/s00520-020-05496-9. Online ahead of print. PMID: 32424642
44. Swallowing functional outcomes and nutritional status in head and neck cancer radiotherapy: longitudinal study.
Wang Y, Zhang L, Jin S, Li H, Gong L, Wang Y, Jin S, Cao Y, Shih Y, Lu Q.
BMJ Support Palliat Care. 2020 May 13;bmjspcare-2020-002216. doi: 10.1136/bmjspcare-2020-002216. Online ahead of print.PMID: 32404303
45. Validation and improvement of the predictive equation for resting energy expenditure in advanced gastrointestinal cancer.
Ozorio GA, Souza MTP, Singer P, López RVM, Alves-Almeida MMF, Ribeiro-Junior U, Waitzberg DL.
Nutrition. 2020 May;73:110697. doi: 10.1016/j.nut.2019.110697. Epub 2019 Dec 9.PMID: 32062447
46. Patient-Generated Subjective Global Assessment and Computed Tomography in the assessment of malnutrition and sarcopenia in patients with cirrhosis: Is there any association?
Zambrano DN, Xiao J, Prado CM, Gonzalez MC.
Clin Nutr. 2020 May;39(5):1535-1540. doi: 10.1016/j.clnu.2019.06.018. Epub 2019 Jun 27.PMID: 31307841
47. Clinical characteristics and predictive factors of survival of 761 cancer patients on home parenteral nutrition: A prospective, cohort study.
Cotogni P, Monge T, Passera R, Brossa L, De Francesco A.
Cancer Med. 2020 May 15. doi: 10.1002/cam4.3064. [Epub ahead of print]
48. Malnutrition-Related Factors Increased the Risk of Anastomotic Leak for Rectal Cancer Patients Undergoing Surgery.
Xu H, Kong F.
Biomed Res Int. 2020 Apr 30;2020:5059670. doi: 10.1155/2020/5059670. eCollection 2020.PMID: 32461995
49. Changes in Nutrition Impact Symptoms, Nutritional and Functional Status during Head and Neck Cancer Treatment.
Neoh MK, Abu Zaid Z, Mat Daud ZA, Md Yusop NB, Ibrahim Z, Abdul Rahman Z, Jamhuri N.
Nutrients. 2020 Apr 26;12(5):1225. doi: 10.3390/nu12051225.PMID: 32357529
50. The Correlation between Hand Grip Strength and Nutritional Variables in Ambulatory Cancer Patients.
Pereira AAC, Zaia RD, Souza GHG, Luizeti BO, Andreola R, Junior AOV, Ferrari A.
Nutr Cancer. 2020 Apr 14:1-9. doi: 10.1080/01635581.2020.1750662. Online ahead of print.PMID: 32286094
51. Role of Human Body Composition Analysis and Malnutrition Risk Questionnaire in the Assessment of Nutritional Status of Patients With Initially Diagnosed Crohn's Disease.
Kurban M, Zeng N, Wang M, Liu H, Wu JR, Feng G, Liu M, Guo Q.
Front Med (Lausanne). 2020 Apr 9;7:106. doi: 10.3389/fmed.2020.00106. eCollection 2020.PMID: 32328493
52. Sensitive and practical screening instrument for malnutrition in patients with chronic kidney disease.
Kosters CM, van den Berg MGA, van Hamersvelt HW.
Nutrition. 2020 Apr;72:110643. doi: 10.1016/j.nut.2019.110643. Epub 2019 Nov 15.PMID: 31926378

53. Symptom Burden in Patients With Home Care Who Are at Risk for Malnutrition: A Cross-Sectional Study.
Berggren E, Strang P, Orrevall Y, Ödlund Olin A, Törnkvist L.
J Palliat Care. 2020 Apr;35(2):103-109. doi: 10.1177/0825859719887240. Epub 2019 Nov 14.PMID: 31722615
54. Vascular Surgery Patients at Risk for Malnutrition Are at an Increased Risk of Developing Postoperative Complications.
Banning LBD, Ter Beek L, El Mounni M, Visser L, Zeebregts CJ, Jager-Wittenaar H, Pol RA.
Ann Vasc Surg. 2020 Apr;64:213-220. doi: 10.1016/j.avsg.2019.10.037. Epub 2019 Oct 18.PMID: 31634605
55. Self-Completion of the Patient-Generated Subjective Global Assessment Short Form Is Feasible and Is Associated With Increased Awareness on Malnutrition Risk in Patients With Head and Neck Cancer.
Jager-Wittenaar H, de Bats HF, Welink-Lamberts BJ, Gort-van Dijk D, van der Laan BFAM, Ottery FD, Roodenburg JLN.
Nutr Clin Pract. 2020 Apr;35(2):353-362. doi: 10.1002/ncp.10313. Epub 2019 May 27.PMID: 31134665
56. Intradialytic parenteral nutrition improves nutritional status in a complex cystic fibrosis patient with redo double lung transplant and end-stage renal disease.
Melville T, Vardy K, Milliner L, Angus R.
BMJ Case Rep. 2020 Mar 19;13(3):e233346. doi: 10.1136/bcr-2019-233346.PMID: 32198225
57. Rationale and design of a randomised controlled trial investigating the effect of multidisciplinary nutritional rehabilitation for patients treated for head and neck cancer (the NUTRI-HAB trial).
Kristensen MB, Wessel I, Beck AM, Dieperink KB, Mikkelsen TB, Møller JK, Zwisler AD.
Nutr J. 2020 Mar 17;19(1):21. doi: 10.1186/s12937-020-00539-7.PMID: 32183835
58. Nutrition risk and assessment process in patients with bladder cancer undergoing radical cystectomy.
Michel C, Robertson HL, Camargo J, Hamilton-Reeves JM.
Urol Oncol. 2020 Mar 16. pii: S1078-1439(20)30060-0. doi: 10.1016/j.urolonc.2020.02.019. [Epub ahead of print] Review.
59. Nutrition Status and Health-Related Quality of Life Among Outpatients With Advanced Head and Neck Cancer.
Mulasi U, Vock DM, Jager-Wittenaar H, Teigen L, Kuchnia AJ, Jha G, Fujioka N, Rudrapatna V, Patel MR, Earthman CP.
Nutr Clin Pract. 2020 Mar 5. doi: 10.1002/ncp.10476. Online ahead of print.PMID: 32141121
60. Assessing nutritional status in a cohort of liver cirrhosis outpatients: A prospective cross-sectional study.
Luong R, Kim M, Lee A, Carey S.
Nutr Health. 2020 Mar;26(1):19-25. doi: 10.1177/0260106019888362. Epub 2019 Nov 28.PMID: 31779515
61. Selection and optimization of nutritional risk screening tools for esophageal cancer patients in China.
Dong W, Liu X, Zhu S, Lu D, Cai K, Cai R, Li Q, Zeng J, Li M.
Nutr Res Pract. 2020 Feb;14(1):20-24. doi: 10.4162/nrp.2020.14.1.20. Epub 2019 Aug 28.PMID: 32042370
62. Cancer-Associated Malnutrition and CT-Defined Sarcopenia and Myosteatosis Are Endemic in Overweight and Obese Patients.
Martin L, Gioulbasanis I, Senesse P, Baracos VE.
JPEN J Parenter Enteral Nutr. 2020 Feb;44(2):227-238. doi: 10.1002/jpen.1597. Epub 2019 Apr 22. PMID: 31012128
63. Is preoperative sarcopenia a good predictor of postoperative complications and outcomes after pelvic exenteration surgery
Hogan S, Ritorni F, Chan V, Lai S, Rangan A, Solomon M, Carey S
J Surg Oncol Feb 2020. <http://dx.doi.org/10.31487/j.JSO.2020.01.04>
64. Effects of early nutritional intervention on oral mucositis in patients with radiotherapy for head and neck cancer.
Wei J, Wu J, Meng L, Zhu B, Wang H, Xin Y, Chen Y, Cui S, Sun Y, Dong L, Jiang X.
QJM. 2020 Jan 1;113(1):37-42. doi: 10.1093/qjmed/hcz222.PMID: 31432089
65. High prevalence of malnutrition and nutrition impact symptoms in older patients with cancer: Results of a Brazilian multicenter study.
de Pinho NB, Martucci RB, Rodrigues VD, D'Almeida CA, Thuler LCS, Saunders C, Jager-Wittenaar H, Peres WAF.
Cancer. 2020 Jan 1;126(1):156-164. doi: 10.1002/cncr.32437. Epub 2019 Sep 9.PMID: 31497875
66. Patient-generated subjective global assessment versus nutritional risk screening 2002 for gastric cancer in Chinese patients.
Yang D, Zheng Z, Zhao Y, Zhang T, Liu Y, Xu X.
Future Oncol. 2020 Jan;16(3):4475-4483. doi: 10.2217/fo-2019-0539. Epub 2019 Dec 3.PMID: 31793364
67. Survey and analysis of the nutritional status in hospitalized patients with malignant gastric tumors and its influence on the quality of life.
Guo ZQ, Yu JM, Li W, Fu ZM, Lin Y, Shi YY, Hu W, Ba Y, Li SY, Li ZN, Wang KH, Wu J, He Y, Yang JJ, Xie CH, Song XX, Chen GY, Ma WJ, Luo SX, Chen ZH, Cong MH, Ma H, Zhou CL, Wang W, Luo Q, Shi YM, Qi YM, Jiang HP, Guan WX, Chen JQ, Chen JX, Fang Y, Zhou L, Feng YD, Tan RS, Li T, Ou JW, Zhao QC, Wu JX, Deng L, Lin X, Yang LQ, Yang M, Wang C, Song CH, Xu HX, Shi HP; Investigation on the Nutrition Status and Clinical Outcome of Common Cancers (INSCOC) Group.

- Support Care Cancer. 2020 Jan;28(1):373-380. doi: 10.1007/s00520-019-04803-3. Epub 2019 May 3.
68. Nutritional status in patients with advanced lung cancer undergoing chemotherapy: a prospective observational study.
Lin T, Yang J, Hong X, Yang Z, Ge T, Wang M.
Nutr Cancer. 2020;72(7):1225-1230. doi: 10.1080/01635581.2019.1675720. Epub 2019 Oct 11.
 69. Cancer-Related Fatigue, Laboratory Markers as Indicators for Nutritional Status among Patients with Colorectal Cancer.
Sharour LA.
Nutr Cancer. 2020;72(6):903-908. doi: 10.1080/01635581.2019.1669674. Epub 2019 Oct 1.
 70. Serum IGFBP2 Level Is a New Candidate Biomarker of Severe Malnutrition in Advanced Lung Cancer.
Dong J, Zeng Y, Zhang P, Li C, Chen Y, Li Y, Wang K.
Nutr Cancer. 2020;72(5):858-863. doi: 10.1080/01635581.2019.1656755. Epub 2019 Sep 5.
 71. Association between Scored Patient-Generated Subjective Global Assessment and Skeletal Muscle Determined by Computed Tomography in Patients with Cervical Cancer.
de Oliveira Pereira F, Pereira Mota A, Azevedo Aredes M, Villaça Chaves G, Ramos Cardoso IC.
Nutr Cancer. 2020;72(4):595-601. doi: 10.1080/01635581.2019.1645866. Epub 2019 Jul 31.
 72. The Relationship Between Nutritional Status, Performance Status, and Survival Among Pancreatic Cancer Patients.
Bicakli DH, Uslu R, Güney SC, Coker A.
Nutr Cancer. 2020;72(2):202-208. doi: 10.1080/01635581.2019.1634217. Epub 2019 Jul 4.
 73. Pre and Postoperative Muscle Wastage and Sarcopenia Using CT Scans in Patients Undergoing Pelvic Exenteration Surgery
Hogan s, Farag J, Wilton C, Ritorni F, ChanV, Lai S, Rangan A, Solomon M, Carey S
Surg Case Reports 2020 DOI: [10.31487/j.JSCR.2020.04.10](https://doi.org/10.31487/j.JSCR.2020.04.10)

2019

1. Diet quality is associated with malnutrition and low calf circumference in Canadian long-term care residents.
Carrier N, Villalon L, Lengyel C, Slaughter SE, Duizer L, Morrison-Koechl J, Keller H.
BMC Nutr. 2019 Dec 9;5:57. doi: 10.1186/s40795-019-0314-7. eCollection 2019. PMID: 32153970
2. Validation of the Chinese version of the Head and Neck Patient Symptom Checklist for measuring nutrition impact symptoms during radiotherapy in patients with head and neck cancer.
Jin S, Lu Q, Pang D, Sun Y, Xiao S, Zheng B, Cui H.
Support Care Cancer. 2019 Dec;27(12):4705-4711. doi: 10.1007/s00520-019-04784-3. Epub 2019 Apr 4. PMID: 30949830
3. Comparative Analysis Between Computed Tomography and Surrogate Methods to Detect Low Muscle Mass Among Colorectal Cancer Patients.
Souza NC, Gonzalez MC, Martucci RB, Rodrigues VD, de Pinho NB, Qureshi AR, Avesani CM.
JPEN J Parenter Enteral Nutr. 2019 Nov 17. doi: 10.1002/jpen.1741. Online ahead of print. PMID: 31736112
4. Prevalence of Malnutrition or Risk in Residents in Long Term Care: Comparison of Four Tools.
Keller H, Vucea V, Slaughter SE, Jager-Wittenaar H, Lengyel C, Ottery FD, Carrier N.
J Nutr Gerontol Geriatr. 2019 Oct-Dec;38(4):329-344. doi: 10.1080/21551197.2019.1640165. Epub 2019 Jul 23. PMID: 31335280
5. Evolution of nutritional status and survival in patients with cancer on tyrosine kinase inhibitors treatment.
Higuera-Pulgar I, Ribed A, Carrascal-Fabian ML, Romero-Jiménez RM, Velasco-Gimeno C, Bretón-Lesmes I, Cambor-Álvarez M, Cuerda-Compes C, García-Peris P.
Endocrinol Diabetes Nutr. 2019 Oct;66(8):472-479. doi: 10.1016/j.endinu.2019.03.017. Epub 2019 Jun 3. PMID: 31171456 English, Spanish.
6. Validity and Reliability of Korean Version of Simplified Nutritional Appetite Questionnaire in Patients with Advanced Cancer: A Multicenter, Longitudinal Study.
Oh SY, Koh SJ, Baek JY, Kwon KA, Jeung HC, Lee KH, Won YW, Lee HJ.
Cancer Res Treat. 2019 Oct;51(4):1612-1619. doi: 10.4143/crt.2018.505. Epub 2019 Apr 12. PMID: 30999722
7. An evaluation of the validity of nutrition screening and assessment tools in patients admitted to a vascular surgery unit.
Thomas J, Kaambwa B, Delaney C, Miller M.
Br J Nutr. 2019 Sep 28;122(6):689-697. doi: 10.1017/S0007114519001442. Epub 2019 Jul 1. PMID: 31256768
8. Evaluation of two nutritional scores' association with systemic treatment toxicity and survival in metastatic colorectal cancer: an AGEO prospective multicentre study.
Gallois C, Artru P, Lièvre A, Auclin E, Lecomte T, Locher C, Marthey L, Zaimi Y, Faroux R, Pernot S, Barret M, Taieb J. PMID: 31415985
9. Malnutrition associated with an increased risk of postoperative complications following hepatectomy in patients with hepatocellular carcinoma.

- Huang TH, Hsieh CC, Kuo LM, Chang CC, Chen CH, Chi CC, Liu CH.
HPB (Oxford). 2019 Sep;21(9):1150-1155. doi: 10.1016/j.hpb.2019.01.003. Epub 2019 Feb 11. PMID: 30765200
10. Tri-country translation, cultural adaptation, and validity confirmation of the Scored Patient-Generated Subjective Global Assessment.
Erickson N, Storck LJ, Kolm A, Norman K, Fey T, Schiffler V, Ottery FD, Jager-Wittenaar H.
Support Care Cancer. 2019 Sep;27(9):3499-3507. doi: 10.1007/s00520-019-4637-3. Epub 2019 Jan 25. PMID: 30684046
 11. Nutritional diagnosis of patients with hepatocellular carcinoma: what is the best method?
Silva DMD, Henz AC, Fernandes SA, Marroni CA.
Nutr Hosp. 2019 Aug 26;36(4):884-889. doi: 10.20960/nh.02542. PMID: 31192693
 12. Patient interpretation of the Patient-Generated Subjective Global Assessment (PG-SGA) Short Form.
Balstad TR, Bye A, Jenssen CR, Solheim TS, Thoresen L, Sand K.
Patient Prefer Adherence. 2019 Aug 16;13:1391-1400. doi: 10.2147/PPA.S204188. eCollection 2019. PMID: 31496666
 13. ADIPONECTIN, VITAMIN D AND NUTRITIONAL STATUS IN PATIENTS WITH ADVANCED COLORECTAL CANCER OR DURING FOLLOW-UP.
Cavagnari MAV, Vidigal VM, Silva TD, Barão K, Forones NM.
Arq Gastroenterol. 2019 Aug 13;56(2):172-177. doi: 10.1590/S0004-2803.201900000-34. PMID: 31460582
 14. Association of Adductor Pollicis Muscle Thickness and Handgrip Strength with nutritional status in cancer patients.
Valente KP, Almeida BL, Lazzarini TR, Souza VF, Ribeiro TSC, Guedes de Moraes RA, Pereira TSS, Guandalini VR.
PLoS One. 2019 Aug 2;14(8):e0220334. doi: 10.1371/journal.pone.0220334. eCollection 2019. PMID: 31374093
 15. Eating-related distress in advanced cancer patients with cachexia and family members: a survey in palliative and supportive care settings.
Amano K, Morita T, Koshimoto S, Uno T, Katayama H, Tataru R.
Support Care Cancer. 2019 Aug;27(8):2869-2876. doi: 10.1007/s00520-018-4590-6. Epub 2018 Dec 15. PMID: 30554279
 16. Malnutrition in Older Adults with Cancer.
Zhang X, Edwards BJ.
Curr Oncol Rep. 2019 Jul 29;21(9):80. doi: 10.1007/s11912-019-0829-8. PMID: 31359189 Review.
 17. Malnutrition in Older Veterans Preparing for Surgery: Prevalence Rates and Evaluation (Sensitivity/Specificity) of Screening and Assessment Tools (OR36-07-19).
Starr KP, Young K, Loyack N, Lagoo-Deenadayalan S, Heflin M, Pieper C, Bales C.
Curr Dev Nutr. 2019 Jun 13;3(Suppl 1). pii: nzz035.OR36-07-19. doi: 10.1093/cdn/nzz035.OR36-07-19. eCollection 2019 Jun
 18. Effect of Whole-course Nutrition Management on Patients with Esophageal Cancer Undergoing Concurrent Chemoradiotherapy: A Randomized Control Trial (P05-031-19).
Qiu Y, You J, Lv Q, Yuan L.
Curr Dev Nutr. 2019 Jun 13;3(Suppl 1). pii: nzz030.P05-031-19. doi: 10.1093/cdn/nzz030.P05-031-19. eCollection 2019 Jun.
 19. The Prevalence of Malnutrition in Patients Suffering from Different Cancers by Three Classification Methods (P05-041-19).
Zhao W, Shi HP.
Curr Dev Nutr. 2019 Jun 13;3(Suppl 1). pii: nzz030.P05-041-19. doi: 10.1093/cdn/nzz030.P05-041-19. eCollection 2019 Jun.
 20. Nutritional diagnosis of patients with hepatocellular carcinoma: what is the best method?
Miranda da Silva D, Henz AC, Fernandes SA, Marroni CA.
Nutr Hosp. 2019 Jun 13. doi: 10.20960/nh.02542. [Epub ahead of print]
 21. [Correlation between nutritional status before radiotherapy and dietary intake in patients with oral cancers].
Zhang HF, Zhang MF, Zhao AD, Li RR.
Shanghai Kou Qiang Yi Xue. 2019 Jun;28(3):288-292. PMID: 31489418 Chinese.
 22. Patient-generated subjective global assessment predicts cachexia and death in patients with head, neck and abdominal cancer: A retrospective longitudinal study.
Cavalcante Martins FF, de Pinho NB, de Carvalho Padilha P, Martucci RB, Rodrigues VD, Sales RC, Ferreira Peres WA.
Clin Nutr ESPEN. 2019 Jun;31:17-22. doi: 10.1016/j.clnesp.2019.03.013. Epub 2019 Apr 5. PMID: 31060829
 23. Malnutrition associated with nutrition impact symptoms and localization of the disease: Results of a multicentric research on oncological nutrition.
de Pinho NB, Martucci RB, Rodrigues VD, D'Almeida CA, Thuler LCS, Saunders C, Jager-Wittenaar H, Peres WAF.
Clin Nutr. 2019 Jun;38(3):1274-1279. doi: 10.1016/j.clnu.2018.05.010. Epub 2018 May 19. PMID: 29853223

24. The Effect of Nutrition Intervention with Oral Nutritional Supplements on Pancreatic and Bile Duct Cancer Patients Undergoing Chemotherapy.
Kim SH, Lee SM, Jeung HC, Lee IJ, Park JS, Song M, Lee DK, Lee SM.
Nutrients. 2019 May 22;11(5):1145. doi: 10.3390/nu11051145.PMID: 31121926
25. Malnutrition in patients who underwent surgery for spinal metastases.
Versteeg AL, van Tol FR, Lehr AM, Oner FC, Verlaan JJ.
Ann Transl Med. 2019 May;7(10):213. doi: 10.21037/atm.2019.04.53.PMID: 31297378
26. Effective nutritional status screening in orthopaedic oncology patients and post-operative complications.
Eu CW, Ajit Singh V, Yasin NF.
J Orthop Surg (Hong Kong). 2019 May-Aug;27(2):2309499019847232. doi: 10.1177/2309499019847232.PMID: 31084248
27. Validation of the Scored Patient-Generated Subjective Global Assessment (PG-SGA) in Thai Setting and Association with Nutritional Parameters in Cancer Patients.
Nitichai N, Angkatavanich J, Somlaw N, Voravud N, Lertbutsayanukul C.
Asian Pac J Cancer Prev. 2019 Apr 29;20(4):1249-1255. doi: 10.31557/APJCP.2019.20.4.1249.PMID: 31030501
28. Prevalence and prognostic significance of malnutrition in patients with cancers of the head and neck.
Kubrak C, Martin L, Gramlich L, Scrimger R, Jha N, Debenham B, Chua N, Walker J, Baracos VE.
Clin Nutr. 2019 Apr 4. pii: S0261-5614(19)30144-X. doi: 10.1016/j.clnu.2019.03.030. [Epub ahead of print]
29. The role of the Patient-Generated Subjective Global Assessment (PG-SGA) and biochemical markers in predicting anemia patients with cancer.
Wu M, Lian XJ, Jia JM, Cao WT, Yan N, Xin YM, Liu ZR, Li HY, Fan ZF, Sun P.
Support Care Cancer. 2019 Apr;27(4):1443-1448. doi: 10.1007/s00520-018-4462-0. Epub 2018 Sep 11.PMID: 30206725
30. Prevalence of malnutrition and impact on clinical outcomes in cancer services: A comparison of two time points.
Marshall KM, Loeliger J, Nolte L, Kelaart A, Kiss NK.
Clin Nutr. 2019 Apr;38(2):644-651. doi: 10.1016/j.clnu.2018.04.007. Epub 2018 May 2.PMID: 29789167
31. Anabolic competence: Assessment and integration of the multimodality interventional approach in disease-related malnutrition.
Reckman GAR, Gomes-Neto AW, Vonk RJ, **Ottery** FD, van der Schans CP, Navis GJ, Jager-Wittenaar H.
Nutrition. 2019 Mar 23;65:179-184. doi: 10.1016/j.nut.2019.03.010. [Epub ahead of print] Review.
32. Nutritional status and related factors of patients with advanced lung cancer in northern China: a retrospective study.
Ge T, Lin T, Yang J, Wang M.
Cancer Manag Res. 2019 Mar 19;11:2225-2231. doi: 10.2147/CMAR.S193567. eCollection 2019.PMID: 30962711
33. Nutritional Counseling for Head and Neck Cancer Patients Undergoing (Chemo) Radiotherapy-A Prospective Randomized Trial.
Orell H, Schwab U, Saarilahti K, Österlund P, Ravasco P, Mäkitie A.
Front Nutr. 2019 Mar 18;6:22. doi: 10.3389/fnut.2019.00022. eCollection 2019.PMID: 30937304
34. Subjective and Objective Assessment of Taste and Smell Sensation in Advanced Cancer.
McGettigan N, Dhuibhir PU, Barrett M, Sui J, Balding L, Higgins S, O'Leary N, Kennedy A, Walsh D.
Am J Hosp Palliat Care. 2019 Mar 3;1049909119832836. doi: 10.1177/1049909119832836. [Epub ahead of print]
35. Low muscle mass is associated with early termination of chemotherapy related to toxicity in patients with head and neck cancer.
Sealy MJ, Dechaphunkul T, van der Schans CP, Krijnen WP, Roodenburg JLN, Walker J, Jager-Wittenaar H, Baracos VE.
Clin Nutr. 2019 Feb 22. pii: S0261-5614(19)30083-4. doi: 10.1016/j.clnu.2019.02.029. [Epub ahead of print]
36. Impact of counseling in knowledge, attitude and practice and association of nutritional status with CD4 count and opportunistic infections of HIV patients of Udupi, India.
Pokharel P, Shettigar PG.
Clin Nutr ESPEN. 2019 Feb;29:154-159. doi: 10.1016/j.clnesp.2018.11.001. Epub 2018 Nov 30.PMID: 30661681
37. SEOM clinical guidelines on nutrition in cancer patients (2018).
de Las Peñas R, Majem M, Perez-Altozano J, Virizuella JA, Cancer E, Diz P, Donnay O, Hurtado A, Jimenez-Fonseca P, Ocon MJ.
Clin Transl Oncol. 2019 Jan 8. doi: 10.1007/s12094-018-02009-3. [Epub ahead of print]
38. Comparison of Novel, Bach Mai Boston Tool (BBT) and the Patient-Generated Subjective Global Assessment (PG-SGA) for Oncology Inpatients.
Van BP, Thuy LN, Thanh HNT, Tuan ANL, Thi PD, Thi YD, Huu TN, Van CN, Thi HL.
Cancer Control. 2019 Jan-Dec;26(1):1073274819863767. doi: 10.1177/1073274819863767.PMID: 31364396
39. Nutritional Screening Tools Used and Validated for Cancer Patients: A Systematic Review.

Mendes NP, Barros TA, Rosa COB, Franceschini SDCC.

Nutr Cancer. 2019;71(6):898-907. doi: 10.1080/01635581.2019.1595045. Epub 2019 Apr 29.PMID: 31033348

40. Nutritional status of patients admitted to a metropolitan tertiary care vascular surgery unit.
Thomas J, Delaney C, Suen J, Miller M.
Asia Pac J Clin Nutr. 2019;28(1):64-71. doi:10.6133/apjcn.201903_28(1).0010.PMID: 30896416
41. Nutritional Risk Assessment by Scored Patient-Generated Subjective Global Assessment Associated with Demographic Characteristics in 23,904 Common Malignant Tumors Patients.
Song C, Cao J, Zhang F, Wang C, Guo Z, Lin Y, Shi Y, Hu W, Ba Y, Xu H, Li W, Shi H.
Nutr Cancer. 2019;71(1):50-60. doi: 10.1080/01635581.2019.1566478. Epub 2019 Feb 9.PMID: 30741002
42. Association Between Serum C-Reactive Protein Concentration and Nutritional Status of Malignant Tumor Patients.
Yu JM, Yang M, Xu HX, Li W, Fu ZM, Lin Y, Shi YY, Song CH, Shi HP, Guo ZQ; Investigation on Nutrition Status and Clinical Outcome of Common Cancers (INSCOC) Group.
Nutr Cancer. 2019;71(2):240-245. doi: 10.1080/01635581.2018.1524019. Epub 2018 Nov 17.PMID: 30450976
43. Food intake by Patient-Generated Subjective Global Assessment (PG-SGA) corresponds to energy and protein intake as well as weight change in patients with advanced cancer.
([https://www.clinicalnutritionexperimental.com/article/S2352-9393\(18\)30097-6/fulltext](https://www.clinicalnutritionexperimental.com/article/S2352-9393(18)30097-6/fulltext))
Asta Bye , Kari Meli, Tora S. Solheim, Barry Laird, Stein Kaasa, Guro B. Stene, Trude R. Balstad
Clin Nutr Experiment 2019; 25:20-28
44. Body Composition, Serum Biomarkers of Inflammation and Quality of Life in Clinically Stable Women with Estrogen Receptor Positive Metastatic Breast Cancer.
Sheehan P, Gomez-Perez S, Joyce C, Vasilopoulos V, Bartolotta MB, Robinson P, Lo S, Lomasney L.
Nutr Cancer. 2019;71(6):981-991. doi: 10.1080/01635581.2019.1595053. Epub 2019 Apr 30

2018

1. Prevalence and relationship of malnutrition and distress in patients with Cancer using questionnaires.
Zhu C, Wang B, Gao Y, Ma X.
BMC Cancer. 2018 Dec 19;18(1):1272. doi: 10.1186/s12885-018-5176-x.PMID: 30567507
2. Longitudinal Body Composition Changes and the Importance of Fat-Free Mass Index in Locally Advanced Nasopharyngeal Carcinoma Patients Undergoing Concurrent Chemoradiotherapy.
Ding H, Dou S, Ling Y, Zhu G, Wang Q, Wu Y, Qian Y.
Integr Cancer Ther. 2018 Dec;17(4):1125-1131. doi: 10.1177/1534735418807969. Epub 2018 Oct 20.PMID: 30345816
3. A systematic review and meta-analysis of the criterion validity of nutrition assessment tools for diagnosing protein-energy malnutrition in the older community setting (the MACRo study).
Marshall S, Craven D, Kelly J, Isenring E.
Clin Nutr. 2018 Dec;37(6 Pt A):1902-1912. doi: 10.1016/j.clnu.2017.09.022. Epub 2017 Oct 12.PMID: 29102322
4. Agreement between the Malnutrition Universal Screening Tool and the Patient-Generated Subjective Global Assessment for Cancer Outpatients Receiving Chemotherapy: A Cross-Sectional Study.
Hettiarachchi J, Madubhashini P, Miller M.
Nutr Cancer. 2018 Nov-Dec;70(8):1275-1282. doi: 10.1080/01635581.2018.1539186. Epub 2018 Dec 29.PMID: 30596277
5. The Relationship Between Nutritional Risks and Cancer-Related Fatigue in Patients With Colorectal Cancer Fast-Track Surgery.
Wei JN, Li SX.
Cancer Nurs. 2018 Nov/Dec;41(6):E41-E47. doi: 10.1097/NCC.0000000000000541.PMID: 29049040
6. Translation and Cultural Adaptation of the Scored Patient-Generated Subjective Global Assessment: An Interdisciplinary Nutritional Instrument Appropriate for Dutch Cancer Patients.
Sealy MJ, Haß U, Ottery FD, van der Schans CP, Roodenburg JLN, Jager-Wittenaar H.
Cancer Nurs. 2018 Nov/Dec;41(6):450-462. doi: 10.1097/NCC.0000000000000505.PMID: 28538001
7. Use of hand grip strength in nutrition risk screening of older patients admitted to general surgical wards.
Byrnes A, Mudge A, Young A, Banks M, Bauer J.
Nutr Diet. 2018 Nov;75(5):520-526. doi: 10.1111/1747-0080.12422. Epub 2018 Apr 16.PMID: 29663632
8. Assessing the feasibility of a mobile health-supported clinical decision support system for nutritional triage in oncology outpatients using Arden Syntax.
de Bruin JS, Schuh C, Seeling W, Luger E, Gall M, Hütterer E, Kornek G, Ludvik B, Hoppichler F, Schindler K.
Artif Intell Med. 2018 Nov;92:34-42. doi: 10.1016/j.artmed.2015.10.001. Epub 2015 Oct 22.PMID: 26563776
9. Bioelectrical impedance analysis for monitoring cancer patients receiving chemotherapy and home parenteral nutrition.

- Cotogni P, Monge T, Fadda M, De Francesco A.
BMC Cancer. 2018 Oct 17;18(1):990. doi: 10.1186/s12885-018-4904-6.PMID: 30332998
10. Agreement between Graz Malnutrition Screening (GMS) with subjective nutritional assessment instruments in hospitalized patients.
Lima EMB, Almeida BL, Gomes HB, Bartochevis JAB, Toniato TS, Lazzarini TR, Pereira TSS, Guandalini VR.
Nutr Hosp. 2018 Oct 5;35(5):1138-1144. doi: 10.20960/nh.1853.PMID: 30307298
 11. Agreement between PG-SGA category and fat-free mass in colorectal cancer patients.
Ræder H, Henriksen C, Bøhn SK, O de Fey Vilbo AR, Henriksen HB, Kværner AS, Rolid K, Paur I, Smeland S, Blomhoff R.
Clin Nutr ESPEN. 2018 Oct;27:24-31. doi: 10.1016/j.clnesp.2018.07.005. Epub 2018 Aug 7.PMID: 30144889
 12. Different nutritional assessment tools as predictors of postoperative complications in patients undergoing colorectal cancer resection.
Maurício SF, Xiao J, Prado CM, Gonzalez MC, Correia MITD.
Clin Nutr. 2018 Oct;37(5):1505-1511. doi: 10.1016/j.clnu.2017.08.026. Epub 2017 Sep 4.PMID: 28918167
 13. Eating As Treatment (EAT): a stepped-wedge, randomised controlled trial of a health behaviour change intervention provided by dietitians to improve nutrition in patients with head and neck cancer undergoing radiotherapy (TROG 12.03).
Britton B, Baker AL, Wolfenden L, Wratten C, Bauer J, Beck AK, McCarter K, Harrowfield J, Isenring E, Tang C, Oldmeadow C, Carter G.
Int J Radiat Oncol Biol Phys. 2018 Oct 5. pii: S0360-3016(18)33807-0. doi: 10.1016/j.ijrobp.2018.09.027.
[Epub ahead of print]
 14. Evaluating the Nutritional Status of Oncology Patients and Its Association with Quality of Life.
Zhang YH, Xie FY, Chen YW, Wang HX, Tian WX, Sun WG, Wu J.
Biomed Environ Sci. 2018 Sep;31(9):637-644. doi: 10.3967/bes2018.088.PMID: 30369342
 15. Risk for malnutrition in patients prior to vascular surgery.
Beek LT, Banning LBD, Visser L, Roodenburg JLN, Krijnen WP, van der Schans CP, Pol RA, Jager-Wittenaar H.
Am J Surg. 2018 Sep;216(3):534-539. doi: 10.1016/j.amjsurg.2017.11.038. Epub 2017 Dec 9.PMID: 29258651
 16. Modalities for assessing the nutritional status in patients with diabetes and cancer.
Clemente G, Gallo M, Giorgini M; AMD – Associazione Medici Diabetologi “Diabetes and Cancer” working group.
Diabetes Res Clin Pract. 2018 Aug;142:162-172. doi: 10.1016/j.diabres.2018.05.039. Epub 2018 May 30.PMID: 29857095 Review.
 17. Investigating adherence to Australian nutritional care guidelines in patients with head and neck cancer.
Hofto S, Abbott J, Jackson JE, Isenring E.
Cancers Head Neck. 2018 Jul 31;3:6. doi: 10.1186/s41199-018-0033-9. eCollection 2018.PMID: 31093359
 18. Relationship of nutritional status and inflammation with survival in patients with advanced cancer in palliative care.
Souza Cunha M, Wiegert EVM, Calixto-Lima L, Oliveira LC.
Nutrition. 2018 Jul-Aug;51-52:98-103. doi: 10.1016/j.nut.2017.12.004. Epub 2018 Feb 8.PMID: 29625409
 19. Resting energy expenditure and body composition in patients with head and neck cancer: An observational study leading to a new predictive equation.
Souza MTP, Singer P, Ozorio GA, Rosa VM, Alves MMF, Mendoza López RV, Waitzberg DL.
Nutrition. 2018 Jul-Aug;51-52:60-65. doi: 10.1016/j.nut.2017.12.006. Epub 2018 Feb 5.PMID: 29605765
 20. The relationship between nutritional status and handgrip strength in adult cancer patients: a cross-sectional study.
Alkan ŞB, Artaç M, Rakıcioğlu N.
Support Care Cancer. 2018 Jul;26(7):2441-2451. doi: 10.1007/s00520-018-4082-8. Epub 2018 Feb 9.PMID: 29427194
 22. [Improvement of the nutritional status and quality of life of cancer patients through a protocol of evaluation and nutritional intervention].
Lluch Taltavull JI, Mercadal Orfila G, Afonso Gobbi YS.
Nutr Hosp. 2018 May 10;35(3):606-611. doi: 10.20960/nh.1426.PMID: 29974769
 23. Development and Validation of a Multidisciplinary Mobile Care System for Patients With Advanced Gastrointestinal Cancer: Interventional Observation Study.
Soh JY, Cha WC, Chang DK, Hwang JH, Kim K, Rha M, Kwon H.
JMIR Mhealth Uhealth. 2018 May 7;6(5):e115. doi: 10.2196/mhealth.9363.PMID: 29735478
 24. Evaluating Photographs as a Replacement for the In-Person Physical Examination of the Scored Patient-Generated Subjective Global Assessment in Elderly Hospital Patients.
Miller M, Thomas J, Suen J, Ong S, Sharma Y.

- J Acad Nutr Diet. 2018 May;118(5):896-903. doi: 10.1016/j.jand.2017.10.010. Epub 2018 Feb 21. PMID: 29429853
25. Score of "eat-ability" as a predictor of malnutrition in patients with gastrointestinal tract cancer: a pilot study.
Dias Barreiro T, Guidi Saueressig M, Brum Kabke G, Ferreira PK, Gonçalves Fruchtenicht AV, Campos Corleta O, Moreira LF.
Nutr Hosp. 2018 Apr 27;35(3):633-641. doi: 10.20960/nh.1668. PMID: 29974773
 26. The Effect of Psychological Intervention on Nutrient Status of Perioperative Patients with Lung Cancer.
Xue F, Huang F.
Iran J Public Health. 2018 Apr;47(4):531-537. PMID: 29900137
 27. ADDUCTOR POLLICIS MUSCLE THICKNESS AND PREDICTION OF POSTOPERATIVE MORTALITY IN PATIENTS WITH STOMACH CANCER.
Poziomyck AK, Corleta OC, Cavazzola LT, Weston AC, Lameu EB, Coelho LJ, Moreira LF.
Arq Bras Cir Dig. 2018 Mar 1;31(1):e1340. doi: 10.1590/0102-672020180001e1340. PMID: 29513801 English, Portuguese
 28. DNA damage in blood cells in relation to chemotherapy and nutritional status in colorectal cancer patients-A pilot study.
Kværner AS, Minaguchi J, Yamani NE, Henriksen C, Ræder H, Paur I, Henriksen HB, Wiedswang G, Smeland S, Blomhoff R, Collins AR, Bøhn SK.
DNA Repair (Amst). 2018 Mar;63:16-24. doi: 10.1016/j.dnarep.2018.01.005. Epub 2018 Jan 11. PMID: 29414050
 29. Perioperative Immunonutrition Modulates Inflammatory Response after Radical Cystectomy: Results of a Pilot Randomized Controlled Clinical Trial.
Hamilton-Reeves JM, Stanley A, Bechtel MD, Yankee TM, Chalise P, Hand LK, Lee EK, Smelser W, Mirza M, Wyre H, Hull H, Carlson SE, Holzbeierlein JM.
J Urol. 2018 Mar 5. pii: S0022-5347(18)42469-X. doi: 10.1016/j.juro.2018.03.001. [Epub ahead of print] PMID:29518432
 30. Economic evaluation of an extended nutritional intervention in older Australian hospitalized patients: a randomized controlled trial.
Sharma Y, Thompson C, Miller M, Shahi R, Hakendorf P, Horwood C, Kaambwa B.
BMC Geriatr. 2018 Feb 5;18(1):41. doi: 10.1186/s12877-018-0736-0. PMID: 29402228
 31. Factors Associated with Sarcopenia in Patients with Colorectal Cancer.
Souza BU, Souza NCS, Martucci RB, Rodrigues VD, Pinho NB, Gonzalez MC, Avesani CM.
Nutr Cancer. 2018 Feb-Mar;70(2):176-183. doi: 10.1080/01635581.2018.1412480. Epub 2018 Jan 19. PMID: 29351494
 32. [Effect of postoperative precision nutrition therapy on postoperative recovery for advanced gastric cancer after neoadjuvant chemotherapy].
Zhao Q, Li Y, Yu B, Yang PG, Fan LQ, Tan BB, Tian Y, Yang AB.
Zhonghua Zhong Liu Za Zhi. 2018 Feb 23;40(2):127-132. doi: 10.3760/cma.j.issn.0253-3766.2018.02.009. PMID: 29502373 Chinese
 33. Evaluation of change in dietitians' perceived comprehensibility and difficulty of the Patient-Generated Subjective Global Assessment (PG-SGA) after a single training in the use of the instrument.
Sealy MJ, Ottery FD, van der Schans CP, Roodenburg JLN, Jager-Wittenaar H.
J Hum Nutr Diet. 2018 Feb;31(1):58-66. doi: 10.1111/jhn.12491. Epub 2017 Jun 27. PMID: 28653775
 34. Severe malnutrition evaluated by patient-generated subjective global assessment results in poor outcome among adult patients with acute leukemia: A retrospective cohort study.
Li J, Wang C, Liu X, Liu Q, Lin H, Liu C, Jin F, Yang Y, Bai O, Tan Y, Gao S, Li W.
Medicine (Baltimore). 2018 Jan;97(3):e9663. doi: 10.1097/MD.0000000000009663. PMID: 29505007
 35. Malnutrition Identified by the Academy of Nutrition and Dietetics and American Society for Parenteral and Enteral Nutrition Consensus Criteria and Other Bedside Tools Is Highly Prevalent in a Sample of Individuals Undergoing Treatment for Head and Neck Cancer.
Mulasi U, Vock DM, Kuchnia AJ, Jha G, Fujioka N, Rudrapatna V, Patel MR, Teigen L, Earthman CP.
JPEN J Parenter Enteral Nutr. 2018 Jan;42(1):139-147. doi: 10.1177/0148607116672264. Epub 2017 Dec 11. PMID: 29505143
 36. Combined Patient-Generated Subjective Global Assessment and body composition facilitates nutritional support in inflammatory bowel disease: an ambulatory study in Shanghai.
Bian D, Shi Y, Jiang Y, Zhong J, Sun J, Gu Y.
Asia Pac J Clin Nutr. 2018;27(6):1230-1238. doi: 10.6133/apjcn.201811_27(6).0009. PMID: 30485921
 37. Determinants and nutritional assessment value of hand grip strength in patients hospitalized with cancer.
Hu CL, Yu M, Yuan KT, Yu HL, Shi YY, Yang JJ, Li W, Jiang HP, Li ZN, Xu HX, Ba Y, Wang KH, Li SY, Shi HP.
Asia Pac J Clin Nutr. 2018;27(4):777-784. doi: 10.6133/apjcn.072017.04. PMID: 30045421

38. Nutritional Assessment Tools for the Identification of Malnutrition and Nutritional Risk Associated with Cancer Treatment.
Castillo-Martínez L, Castro-Eguiluz D, Copca-Mendoza ET, Pérez-Camargo DA, Reyes-Torres CA, Ávila EA, López-Córdova G, Fuentes-Hernández MR, Cetina-Pérez L, Milke-García MDP.
Rev Invest Clin. 2018;70(3):121-125. doi: 10.24875/RIC.18002524.PMID: 29943772
39. Inflammatory and nutritional statuses of patients submitted to resection of gastrointestinal tumors.
Fruchtenicht AVG, Poziomyck AK, Reis AMD, Galia CR, Kabke GB, Moreira LF.
Rev Col Bras Cir. 2018;45(2):e1614. doi: 10.1590/0100-6991e-20181614. Epub 2018 May 24.PMID: 29846467 English, Portuguese.
40. Home enteral nutrition after minimally invasive esophagectomy can improve quality of life and reduce the risk of malnutrition.
Wu Z, Wu M, Wang Q, Zhan T, Wang L, Pan S, Chen G.
Asia Pac J Clin Nutr. 2018;27(1):129-136. doi: 10.6133/apjcn.032017.22.PMID: 29222890

2017

1. Nutrition and Muscle in Cirrhosis.
Anand AC.
J Clin Exp Hepatol. 2017 Dec;7(4):340-357. doi: 10.1016/j.jceh.2017.11.001. Epub 2017 Nov 8.PMID: 29234200
2. Diet quality in patients with end-stage kidney disease undergoing dialysis.
Roach LA, Lambert K, Holt JL, Meyer BJ.
J Ren Care. 2017 Dec;43(4):226-234. doi: 10.1111/jorc.12215. Epub 2017 Sep 24.PMID: 28944596
3. Malnutrition and its association with readmission and death within 7 days and 8-180 days postdischarge in older patients: a prospective observational study.
Sharma Y, Miller M, Kaambwa B, Shahi R, Hakendorf P, Horwood C, Thompson C.
BMJ Open. 2017 Nov 12;7(11):e018443. doi: 10.1136/bmjopen-2017-018443.PMID: 29133331
4. Applicability of the direct parameters of bioelectrical impedance in assessing nutritional status and surgical complications of women with gynecological cancer.
Cardoso ICR, Aredes MA, Chaves GV.
Eur J Clin Nutr. 2017 Nov;71(11):1278-1284. doi: 10.1038/ejcn.2017.115. Epub 2017 Aug 9.PMID: 28792014
5. Patient-Generated Subjective Global Assessment of nutritional status in pediatric patients with recent cancer diagnosis.
Vázquez de la Torre MJ, Stein K, Vásquez Garibay EM, Kumazawa Ichikawa MR, Troyo Sanromán R, Salcedo Flores AG, Sánchez Zubieta FA.
Nutr Hosp. 2017 Oct 24;34(5):1050-1058. doi: 10.20960/nh.935.PMID: 29130701
6. Investigation of the benefits of early malnutrition screening with telehealth follow up in elderly acute medical admissions.
Sharma Y, Thompson CH, Kaambwa B, Shahi R, Hakendorf P, Miller M.
QJM. 2017 Oct 1;110(10):639-647. doi: 10.1093/qjmed/hcx095.PMID: 28472530
7. Performance of Patient-Generated Subjective Global Assessment (PG-SGA) in Patients With Advanced Cancer in Palliative Care.
Wiegert EVM, Padilha PC, Peres WAF.
Nutr Clin Pract. 2017 Oct;32(5):675-681. doi: 10.1177/0884533617725071. Epub 2017 Aug 29.PMID: 28850795
8. Effect of Hospital to Home nutrition management model on postoperative clinical outcomes of patients with laryngeal carcinoma.
Song G, Liu H.
Oncol Lett. 2017 Oct;14(4):4059-4064. doi: 10.3892/ol.2017.6709. Epub 2017 Aug 2.PMID: 28943912
9. Association Between Nutrition Status and Survival in Elderly Patients With Colorectal Cancer.
Barao K, Abe Vicente Cavagnari M, Silva Fucuta P, Manoukian Forones N.
Nutr Clin Pract. 2017 Oct;32(5):658-663. doi: 10.1177/0884533617706894. Epub 2017 May 23.PMID: 28535359
10. Nutritional status of allogeneic hematopoietic stem cell transplantation recipients: influencing risk factors and impact on survival.
El-Ghammaz AMS, Ben Matoug R, Elzimaity M, Mostafa N.
Support Care Cancer. 2017 Oct;25(10):3085-3093. doi: 10.1007/s00520-017-3716-6. Epub 2017 Apr 24.PMID: 28439725
11. ESPEN diagnostic criteria for malnutrition - A validation study in hospitalized patients.
Guerra RS, Fonseca I, Sousa AS, Jesus A, Pichel F, Amaral TF.
Clin Nutr. 2017 Oct;36(5):1326-1332. doi: 10.1016/j.clnu.2016.08.022. Epub 2016 Sep 8.PMID: 27642055
12. A Risk Factor Analysis of Cognitive Impairment in Elderly Patients with Chronic Diseases in a Chinese Population.

- Li Y, Fang X, Zhao WG, Chen Y, Hu SL.
Med Sci Monit. 2017 Sep 22;23:4549-4558. doi: 10.12659/msm.904254.PMID: 28937972
13. Pre-Treatment Nutritional Status and Radiotherapy Outcome in Patients with Locally Advanced Head and Neck Cancers.
Bahl A, Elangovan A, Kaur S, Verma R, Oinam AS, Ghoshal S, Panda NK.
Gulf J Oncolog. 2017 Sep;1(25):61-63.PMID: 29019332
 14. Assessing nutritional status in cancer: role of the Patient-Generated Subjective Global Assessment.
Jager-Wittenaar H, Ottery FD.
Curr Opin Clin Nutr Metab Care. 2017 Sep;20(5):322-329. doi:
10.1097/MCO.0000000000000389.PMID: 28562490
 15. Relationship between patient-generated subjective global assessment and survival in patients in palliative care.
Carvalho CS, Souza DS, Lopes JR, Castanho IA, Lopes AJ.
Ann Palliat Med. 2017 Aug;6(Suppl 1):S4-S12. doi: 10.21037/apm.2017.03.03. Epub 2017 Mar
21.PMID: 28595428
 16. Cachexia Stage, Patient-Generated Subjective Global Assessment, Phase Angle, and Handgrip Strength in Patients with Gastrointestinal Cancer.
Ozorio GA, Barão K, Forones NM.
Nutr Cancer. 2017 Jul;69(5):772-779. doi: 10.1080/01635581.2017.1321130. Epub 2017 May
19.PMID: 28524706
 17. Comparison of different methods for nutrition assessment in patients with tumors.
Du H, Liu B, Xie Y, Liu J, Wei Y, Hu H, Luo B, Li Z.
Oncol Lett. 2017 Jul;14(1):165-170. doi: 10.3892/ol.2017.6154. Epub 2017 May 11.PMID: 28693149
 18. Cachexia at diagnosis is associated with poor survival in head and neck cancer patients.
Orell-Kotikangas H, Österlund P, Mäkitie O, Saarilahti K, Ravasco P, Schwab U, Mäkitie AA.
Acta Otolaryngol. 2017 Jul;137(7):778-785. doi: 10.1080/00016489.2016.1277263. Epub 2017 Jan
26.PMID: 28125312
 19. Heads Up: a pilot trial of a psychological intervention to improve nutrition in head and neck cancer patients undergoing radiotherapy.
Britton B, Baker A, Clover K, McElduff P, Wratten C, Carter G.
Eur J Cancer Care (Engl). 2017 Jul;26(4). doi: 10.1111/ecc.12502. Epub 2016 Apr 28.PMID: 27125571
 20. A new score for screening of malnutrition in patients with inoperable gastric adenocarcinoma.
Esfahani A, Somi MH, Asghari Jafarabadi M, Ostadrahimi A, Ghayour Nahand M, Fathifar Z, Doostzadeh A,
Ghoreishi Z.
Jpn J Clin Oncol. 2017 Jun 1;47(6):475-479. doi: 10.1093/jjco/hyx034.PMID: 28334893
 21. Treatment of pancreatic insufficiency using pancreatic extract in patients with advanced pancreatic cancer: a pilot study (PICNIC).
Zdenkowski N, Radvan G, Pugliese L, Charlton J, Oldmeadow C, Fraser A, Bonaventura A.
Support Care Cancer. 2017 Jun;25(6):1963-1971. doi: 10.1007/s00520-017-3602-2. Epub 2017 Feb
4.PMID: 28161789
 22. Subjective and objective taste and smell changes in cancer.
Spotten LE, Corish CA, Lorton CM, Ui Dhuibhir PM, O'Donoghue NC, O'Connor B, Walsh TD.
Ann Oncol. 2017 May 1;28(5):969-984. doi: 10.1093/annonc/mdx018. Review. PMID: 28327968
 23. Patient-Generated Subjective Global Assessment as a prognosis tool in patients with multiple myeloma.
Kim HS, Lee JY, Lim SH, Cho J, Kim SJ, Jang JH, Kim WS, Jung CW, Kim K.
Nutrition. 2017 Apr;36:67-71. doi: 10.1016/j.nut.2016.06.009. Epub 2016 Jun 25.PMID: 28336110
 24. A Prospective Randomized Controlled Trial to Study the Impact of a Nutrition-Sensitive Intervention on Adult Women With Cancer Cachexia Undergoing Palliative Care in India.
Kapoor N, Naufahu J, Tewfik S, Bhatnagar S, Garg R, Tewfik I.
Integr Cancer Ther. 2017 Mar;16(1):74-84. doi: 10.1177/1534735416651968. Epub 2016 Jun 1
 25. Nutrition and Immune-Modulatory Intervention in Surgical Patients With Gastric Cancer.
Dias Rodrigues V, Barroso de Pinho N, Abdelhay E, Viola JP, Correia MI, Brum Martucci R.
Nutr Clin Pract. 2017 Feb;32(1):122-129. doi: 10.1177/0884533616653807. Epub 2016 Jul 9. PMID: 27329862
 26. Nutrition assessment and its relationship with performance and Glasgow prognostic scores in Vietnamese patients with esophageal cancer.
Quyen TC, Angkatavanich J, Thuan TV, Xuan VV, Tuyen LD, Tu DA.
Asia Pac J Clin Nutr. 2017 Jan;26(1):49-58. doi: 10.6133/apjcn.122015.02.PMID: 28049261
 27. Handgrip Dynamometry and Patient-Generated Subjective Global Assessment in Patients with Nonresectable Lung Cancer.
Barata AT, Santos C, Cravo M, Vinhas MD, Morais C, Carolino E, Mendes L, Roldão Vieira J, Fonseca J.
Nutr Cancer. 2017 Jan;69(1):154-158. doi: 10.1080/01635581.2017.1250923. Epub 2016 Dec
5.PMID: 27918868
 28. NUTRISCORE: A new nutritional screening tool for oncological outpatients.

- Arribas L, Hurtós L, Sendrós MJ, Peiró I, Salleras N, Fort E, Sánchez-Migallón JM. Nutrition. 2017 Jan;33:297-303. doi: 10.1016/j.nut.2016.07.015. Epub 2016 Aug 13. PMID: 27751743
29. Malnutrition in Acutely Unwell Hospitalized Elderly - "The Skeletons Are Still Rattling in the Hospital Closet". Sharma Y, Thompson C, Shari R, Hakendorf P, Miller M. J Nutr Health Aging. 2017;21(10):1210-1215. doi: 10.1007/s12603-017-0903-6. PMID: 29188881
30. Validity of the Malnutrition Universal Screening Tool (MUST) in Australian hospitalized acutely unwell elderly patients. Sharma Y, Thompson C, Kaambwa B, Shahi R, Miller M. Asia Pac J Clin Nutr. 2017;26(6):994-1000. doi: 10.6133/apjcn.022017.15. PMID: 28917223

2016

1. Dietary Counseling Outcomes in Locally Advanced Unresectable or Metastatic Cancer Patients Undergoing Chemotherapy. Sukaraphat N, Chewaskulyong B, Buranapin S. J Med Assoc Thai. 2016 Dec;99(12):1283-90. PMID: 29952503
2. Efficacy of pancreatic exocrine replacement therapy for patients with unresectable pancreatic cancer in a randomized trial. Woo SM, Joo J, Kim SY, Park SJ, Han SS, Kim TH, Koh YH, Chung SH, Kim YH, Moon H, Hong EK, Lee WJ. Pancreatology. 2016 Nov-Dec;16(6):1099-1105. doi: 10.1016/j.pan.2016.09.001. Epub 2016 Sep 4. PMID: 27618657
3. Association of nutritional status-related indices and chemotherapy-induced adverse events in gastric cancer patients. Seo SH, Kim SE, Kang YK, Ryoo BY, Ryu MH, Jeong JH, Kang SS, Yang M, Lee JE, Sung MK. BMC Cancer. 2016 Nov 18;16(1):900. doi: 10.1186/s12885-016-2934-5. PMID: 27863481
4. Malnutrition: laboratory markers vs nutritional assessment. Bharadwaj S, Ginoya S, Tandon P, Gohel TD, Guirguis J, Vallabh H, Jevann A, Hanouneh I. Gastroenterol Rep (Oxf). 2016 Nov;4(4):272-280. Epub 2016 May 11. Review.
5. Patient-Generated Subjective Global Assessment Short Form (PG-SGA SF) is a valid screening tool in chemotherapy outpatients. Abbott J, Teleni L, McKavanagh D, Watson J, McCarthy AL, Isenring E. Support Care Cancer. 2016 Sep;24(9):3883-7. doi: 10.1007/s00520-016-3196-0. Epub 2016 Apr 19. PMID: 27095352
6. Quality of life, symptom status and physical performance in patients with advanced non-small cell lung cancer undergoing chemotherapy: an exploratory analysis of secondary data. Shallwani SM, Simmonds MJ, Kasymjanova G, Spahija J. Lung Cancer. 2016 Sep;99:69-75. doi: 10.1016/j.lungcan.2016.06.018. Epub 2016 Jun 23. PMID: 27565917
7. Content validity across methods of malnutrition assessment in patients with cancer is limited. Sealy MJ, Nijholt W, Stuiver MM, van der Berg MM, Roodenburg JL, van der Schans CP, Ottery FD, Jager-Wittenaar H. J Clin Epidemiol. 2016 Aug;76:125-36. doi: 10.1016/j.jclinepi.2016.02.020. Epub 2016 Feb 27. PMID: 26931291
8. Reliability of nutritional assessment in patients with gastrointestinal tumors. Poziomyck AK, Fruchtenicht AV, Kabke GB, Volkweis BS, Antoniazzi JL, Moreira LF. Rev Col Bras Cir. 2016 May-Jun;43(3):189-97. doi: 10.1590/0100-69912016003006. Review. English, Portuguese. PMID: 27556544
9. Associations between body composition and nutritional assessments and biochemical markers in patients with chronic radiation enteritis: a case-control study. Cai Z, Cai D, Yao D, Chen Y, Wang J, Li Y. Nutr J. 2016 May 28;15(1):57. doi: 10.1186/s12937-016-0177-6. PMID: 27233356
10. Malnutrition in Geriatric Rehabilitation: Prevalence, Patient Outcomes, and Criterion Validity of the Scored Patient-Generated Subjective Global Assessment and the Mini Nutritional Assessment. Marshall S, Young A, Bauer J, Isenring E. J Acad Nutr Diet. 2016 May;116(5):785-94. doi: 10.1016/j.jand.2015.06.013. Epub 2015 Jul 26. PMID: 26212447
11. Nutritional management in head and neck cancer: United Kingdom National Multidisciplinary Guidelines. Talwar B, Donnelly R, Skelly R, Donaldson M.J Laryngol Otol. 2016 May;130(S2):S32-S40. PMID: 27841109
12. A Prognostic Model Using Inflammation- and Nutrition-Based Scores in Patients With Metastatic Gastric Adenocarcinoma Treated With Chemotherapy. Hsieh MC, Wang SH, Chuah SK, Lin YH, Lan J, Rau KM. Medicine (Baltimore). 2016 Apr;95(17):e3504. doi: 10.1097/MD.0000000000003504. PMID: 27124056
13. Comparative analysis of undernutrition screening and diagnostic tools as predictors of hospitalisation costs.

- Guerra RS, Sousa AS, Fonseca I, Pichel F, Restivo MT, Ferreira S, Amaral TF.
J Hum Nutr Diet. 2016 Apr;29(2):165-73. doi: 10.1111/jhn.12288. Epub 2014 Dec 23. PMID: 25532556
14. Development of a Nutrition Screening Tool for an Outpatient Wound Center.
Fulton J, Evans B, Miller S, Blasiolo KN, Leone R, Beinlich N, Meehan A, Loose C.
Adv Skin Wound Care. 2016 Mar;29(3):136-42; quiz 142, E1. doi:
10.1097/01.ASW.0000479803.09658.cb.PMID: 26866870
 15. Effects of Immunonutrition for Cystectomy on Immune Response and Infection Rates: A Pilot Randomized Controlled Clinical Trial.
Hamilton-Reeves JM, Bechtel MD, Hand LK, Schleper A, Yankee TM, Chalise P, Lee EK, Mirza M, Wyre H, Griffin J, Holzbeierlein JM.
Eur Urol. 2016 Mar;69(3):389-92. doi: 10.1016/j.eururo.2015.11.019. Epub 2015 Nov 30. PMID: 26654125
 16. Effects of intensive nutrition education on nutritional status and quality of life among postgastrectomy patients.
Lee HO, Han SR, Choi SI, Lee JJ, Kim SH, Ahn HS, Lim H.
Ann Surg Treat Res. 2016 Feb;90(2):79-88. doi: 10.4174/ast.2016.90.2.79. Epub 2015 Jan
28. PMID: 26878015
 17. Utilization of a Scored Patient-Generated Subjective Global Assessment in Detecting a Malnourished Status in Gynecologic Cancer Patients.
Chantragawee C, Achariyapota V.
Asian Pac J Cancer Prev. 2016;17(9):4401-4404. PMID: 27797251
 18. Prealbumin/CRP Based Prognostic Score, a New Tool for Predicting Metastasis in Patients with Inoperable Gastric Cancer.
Esfahani A, Makhdami N, Faramarzi E, Asghari Jafarabadi M, Ostadrahimi A, Ghayour Nahand M, Ghoreishi Z.
Gastroenterol Res Pract. 2016;2016:4686189. doi: 10.1155/2016/4686189. Epub 2016 Jan
20. PMID: 26904109
 19. Malnutrition: The Importance of Identification, Documentation, and Coding in the Acute Care Setting.
Kellett J, Kyle G, Itsiopoulos C, Naunton M, Luff N.
J Nutr Metab. 2016;2016:9026098. doi: 10.1155/2016/9026098. Epub 2016 Sep 28. PMID: 27774317
 20. Utilization of a Scored Patient-Generated Subjective Global Assessment in Detecting a Malnourished Status in Gynecologic Cancer Patients.
Chantragawee C, Achariyapota V.
Asian Pac J Cancer Prev. 2016;17(9):4401-4404. PMID: 27797251

2015

1. Factors associated with malnutrition in hospitalized cancer patients: a cross-sectional study.
Silva FR, de Oliveira MG, Souza AS, Figueroa JN, Santos CS.
Nutr J. 2015 Dec 10;14:123. doi: 10.1186/s12937-015-0113-1. PMID: 26652158
2. Preoperative Nutritional Assessment in Elderly Cancer Patients Undergoing Elective Surgery: MNA or PG-SGA?
Dubhashi SP, Kayal A.
Indian J Surg. 2015 Dec;77(Suppl 2):232-5. doi: 10.1007/s12262-012-0780-5. Epub 2012 Dec
7. PMID: 26729999
3. Sarcopenia among hospitalized patients - A cross-sectional study.
Sousa AS, Guerra RS, Fonseca I, Pichel F, Amaral TF.
Clin Nutr. 2015 Dec;34(6):1239-44. doi: 10.1016/j.clnu.2014.12.015. Epub 2014 Dec 27. PMID: 25577017
4. CUTOFF POINT OF THE PHASE ANGLE IN PRE-RADIOTHERAPY CANCER PATIENTS.
Souza Thompson Motta R, Alves Castanho I, Guillermo Coca Velarde L.
Nutr Hosp. 2015 Nov 1;32(5):2253-60. doi: 10.3305/nh.2015.32.5.9626. PMID: 26545685
5. Patient Generated Subjective Global Assessment as a prognosis tool in women with gynecologic cancer.
Rodrigues CS, Lacerda MS, Chaves GV.
Nutrition. 2015 Nov-Dec;31(11-12):1372-8. doi: 10.1016/j.nut.2015.06.001. Epub 2015 Jul 2. PMID: 26429658
6. [DIETARY INTAKE AND NUTRITIONAL STATUS IN ONCOLOGY PATIENTS WHO START TREATMENT WITH TYROSINE KINASE INHIBITORS].
Higuera-Pulgar I, Ribed A, Carrascal-Fabian ML, Bretón-Lesmes I, Romero-Jiménez RM, Cuerda-Compes C, Velasco-Gimeno C, Cambolor-Álvarez M, García-Peris P.
Nutr Hosp. 2015 Sep 1;32(3):1200-7. doi: 10.3305/nh.2015.32.3.9315. Spanish. PMID: 26319839
7. Nutritional risk assessment in critically ill cancer patients: systematic review.
Fruchtenicht AV, Poziomyck AK, Kabke GB, Loss SH, Antoniazzi JL, Steemburgo T, Moreira LF.
Rev Bras Ter Intensiva. 2015 Jul-Sep;27(3):274-83. doi: 10.5935/0103-507X.20150032. Epub 2015 Aug
11. PMID: 26270855 Portuguese
8. MALNUTRITION IN PATIENTS WITH GASTROINTESTINAL CANCER: EFFECTIVENESS OF DIFFERENT DIAGNOSTIC METHODS.
Dias do Prado C, Alvares Duarte Bonini Campos J.

- Nutr Hosp. 2015 Jul 1;32(1):182-8. doi: 10.3305/nh.2015.32.1.8657.PMID: 26262715
9. Comparison of Quality of Life and Nutritional Status in Gastric Cancer Patients Undergoing Gastrectomies.
Lim HS, Cho GS, Park YH, Kim SK.
Clin Nutr Res. 2015 Jul;4(3):153-9. doi: 10.7762/cnr.2015.4.3.153. Epub 2015 Jul 31.PMID: 26251833
 10. Eating As Treatment (EAT) study protocol: a stepped-wedge, randomised controlled trial of a health behaviour change intervention provided by dietitians to improve nutrition in patients with head and neck cancer undergoing radiotherapy.
Britton B, McCarter K, Baker A, Wolfenden L, Wratten C, Bauer J, Beck A, McElduff P, Halpin S, Carter G.
BMJ Open. 2015 Jul 31;5(7):e008921. doi: 10.1136/bmjopen-2015-008921. PMID: 26231757
 11. [Prevalence of malnutrition in not critically ill older inpatients].
Fernández López MT, Fidalgo Baamil O, López Doldán C, Bardasco Alonso ML, de Sas Prada MT, Lagoa Labrador F, García García MJ, Mato Mato JA.
Nutr Hosp. 2015 Jun 1;31(6):2676-84. doi: 10.3305/nh.2015.31.6.8989.PMID: 26040381 Spanish.
 12. Usefulness of six diagnostic and screening measures for undernutrition in predicting length of hospital stay: a comparative analysis.
Guerra RS, Fonseca I, Pichel F, Restivo MT, Amaral TF.
J Acad Nutr Diet. 2015 Jun;15(6):927-38. doi: 10.1016/j.jand.2014.11.015. Epub 2015 Jan 27.PMID: 25634094
 13. [Prevalence of malnutrition in not critically ill older inpatients].
Fernández López MT, Fidalgo Baamil O, López Doldán C, Bardasco Alonso ML, de Sas Prada MT, Lagoa Labrador F, García García MJ, Mato Mato JA.
Nutr Hosp. 2015 Jun 1;31(6):2676-84. doi: 10.3305/nh.2015.31.6.8989.PMID: 26040381 Spanish.
 14. NRS-2002 for pre-treatment nutritional risk screening and nutritional status assessment in head and neck cancer patients.
Orell-Kotikangas H, Österlund P, Saarihahti K, Ravasco P, Schwab U, Mäkitie AA.
Support Care Cancer. 2015 Jun;23(6):1495-502. doi: 10.1007/s00520-014-2500-0. Epub 2014 Nov 5.PMID: 25370893
 15. Nutrition adequacy in enhanced recovery after surgery: a single academic center experience.
Gillis C, Nguyen TH, Liberman AS, Carli F.
Nutr Clin Pract. 2015 Jun;30(3):414-9. doi: 10.1177/0884533614562840. Epub 2014 Dec 29.PMID: 25547338
 16. Diagnostic test accuracy of nutritional tools used to identify undernutrition in patients with colorectal cancer: a systematic review.
Håkonsen SJ, Pedersen PU, Bath-Hextall F, Kirkpatrick P.
JBI Database System Rev Implement Rep. 2015 May 15;13(4):141-87. doi: 10.11124/jbisrir-2015-1673.PMID: 26447079
 17. Evolution of nutritional status in patients with autologous and allogeneic hematopoietic stem cell transplant.
Barritta de Defranchi RL, Bordalejo A, Cañueto I, Villar A, Navarro E.
Support Care Cancer. 2015 May;23(5):1341-7. doi: 10.1007/s00520-014-2473-z. Epub 2014 Oct 28.PMID: 25347950
 18. Health professionals' attitudes toward the detection and management of cancer-related anorexia-cachexiasyndrome, and a proposal for standardized assessment.
Del Fabbro E, Jatoi A, Davis M, Fearon K, di Tomasso J, Viganò A.
J Community Support Oncol. 2015 May;13(5):181-7. doi: 10.12788/jcso.0133. PMID: 26029935
 19. Patient-Generated Subjective Global Assessment in relation to site, stage of the illness, reason for hospital admission, and mortality in patients with gynecological tumors.
Rodrigues CS, Chaves GV.
Support Care Cancer. 2015 Mar;23(3):871-9. doi: 10.1007/s00520-014-2409-7. Epub 2014 Sep 16.PMID: 25223349 Clinical Trial.
 20. Handgrip strength and associated factors in hospitalized patients.
Guerra RS, Fonseca I, Pichel F, Restivo MT, Amaral TF.
JPEN J Parenter Enteral Nutr. 2015 Mar;39(3):322-30. doi: 10.1177/0148607113514113. Epub 2013 Nov 29.PMID: 24291737
 21. Handgrip strength measurement as a predictor of hospitalization costs.
Guerra RS, Amaral TF, Sousa AS, Pichel F, Restivo MT, Ferreira S, Fonseca I.
Eur J Clin Nutr. 2015 Feb;69(2):187-92. doi: 10.1038/ejcn.2014.242. Epub 2014 Nov 5. PMID: 25369830
 22. The relationship between nutritional status, inflammatory markers and survival in patients with advanced cancer: a prospective cohort study.
Tan CS, Read JA, Phan VH, Beale PJ, Peat JK, Clarke SJ.
Support Care Cancer. 2015 Feb;23(2):385-91. doi: 10.1007/s00520-014-2385-y. Epub 2014 Aug 13.PMID: 25112562
 23. Patient-generated subjective global assessment and classic anthropometry: comparison between the methods in detection of malnutrition among elderly with cancer.

- Araújo dos Santos C, de Oliveira Barbosa Rosa C, Queiroz Ribeiro A, Lanes Ribeiro Rde C. *Nutr Hosp.* 2015 Jan 1;31(1):384-92. doi: 10.3305/nh.2015.31.1.7543.PMID: 25561151
24. Comparison of a novel, simple nutrition screening tool for adult oncology inpatients and the Malnutrition Screening Tool (MST) against the Patient-Generated Subjective Global Assessment (PG-SGA).
Shaw C, Fleuret C, Pickard JM, Mohammed K, Black G, Wedlake L. *Support Care Cancer.* 2015 Jan;23(1):47-54. doi: 10.1007/s00520-014-2319-8. Epub 2014 Jun 20.PMID: 24947056
 25. Evaluation of Nutritional Status of Cancer Patients during Treatment by Patient-Generated Subjective Global Assessment: a Hospital-Based Study.
Sharma D, Kannan R, Tapkire R, Nath S. *Asian Pac J Cancer Prev.* 2015;16(18):8173-6. doi: 10.7314/apjcp.2015.16.18.8173.PMID: 26745056
 26. Reliability and Validity of the Greek Version of Patient Generated-Subjective Global Assessment in Cancer Patients.
Tsilika E, Parpa E, Panagiotou I, Roumeliotou A, Kouloulis V, Gennimata V, Galanos A, Mystakidou K. *Nutr Cancer.* 2015;67(6):899-905. doi: 10.1080/01635581.2015.1055364. Epub 2015 Jul 13.PMID: 26168079

2014

1. [Prevalence of malnutrition in not critically ill inpatients].
Fernández López MT, Fidalgo Baamil O, López Doldán C, Bardasco Alonso ML, de Sas Prada MT, Lagoa Labrador F, García García MJ, Mato Mato JA. *Nutr Hosp.* 2014 Dec 1;30(6):1375-83. doi: 10.3305/nh.2014.30.6.7784.PMID: 25433121 Spanish.
2. Handgrip strength cutoff values for undernutrition screening at hospital admission.
Guerra RS, Fonseca I, Pichel F, Restivo MT, Amaral TF. *Eur J Clin Nutr.* 2014 Dec;68(12):1315-21. doi: 10.1038/ejcn.2014.226. Epub 2014 Oct 29. PMID: 25351643
3. The prevalence of weight loss during (chemo)radiotherapy treatment for lung cancer and associated patient- and treatment-related factors.
Kiss N, Isenring E, Gough K, Krishnasamy M. *Clin Nutr.* 2014 Dec;33(6):1074-80. doi: 10.1016/j.clnu.2013.11.013. Epub 2013 Nov 25. PMID: 24325888
4. Improved nutritional status is related to improved quality of life in Parkinson's disease.
Sheard JM, Ash S, Mellick GD, Silburn PA, Kerr GK. *BMC Neurol.* 2014 Nov 18;14:212. doi: 10.1186/s12883-014-0212-1.PMID: 25403709
5. Nutritional assessment in surgical oncology patients: a comparative analysis between methods.
Cunha Cde M, Sampaio Ede J, Varjão ML, Factum CS, Ramos LB, Barreto-Medeiros JM. *Nutr Hosp.* 2014 Nov 1;31(2):916-21. doi: 10.3305/nh.2015.31.2.7715.PMID: 25617581
6. Optimizing a frail elderly patient for radical cystectomy with a prehabilitation program.
Carli F, Awasthi R, Gillis C, Kassouf W. *Can Urol Assoc J.* 2014 Nov;8(11-12):E884-7. doi: 10.5489/cuaj.2025.PMID: 25485023
7. Depression and appetite: predictors of malnutrition in gynecologic cancer.
Nho JH, Kim SR, Kwon YS. *Support Care Cancer.* 2014 Nov;22(11):3081-8. doi: 10.1007/s00520-014-2340-y. Epub 2014 Jul 2.PMID: 24986204
8. Intensive nutritional counseling improves PG-SGA scores and nutritional symptoms during and after radiotherapy in Korean cancer patients.
Um MH, Choi MY, Lee SM, Lee IJ, Lee CG, Park YK. *Support Care Cancer.* 2014 Nov;22(11):2997-3005. doi: 10.1007/s00520-014-2304-2. Epub 2014 Jun 7.PMID: 24906838
9. [Nutritional assessment and quality of life of oncology outpatients initiating treatment with tyrosine-kinase inhibitors].
Ribed Sánchez A, Romero-Jiménez RM, Cuerda-Compes C, Higuera-Pulgar I, Carrascal-Fabian ML, Escudero-Vilaplana V, Arranz-Arija JA, García-Peris P, Sanjurjo-Sáez M. *Nutr Hosp.* 2014 Nov 1;30(5):1092-100. doi: 10.3305/nh.2014.30.5.7761. Spanish. PMID: 25365013
10. Malnutrition in patients with chronic GVHD.
Bassim CW, Fassil H, Dobbin M, Steinberg SM, Baird K, Cole K, Joe G, Comis LE, Mitchell SA, Grkovic L, Edwards D, Mays JW, Cowen EW, Pulanic D, Williams KM, Gress RE, Pavletic SZ. *Bone Marrow Transplant.* 2014 Oct;49(10):1300-6. doi: 10.1038/bmt.2014.145. Epub 2014 Jul 14.PMID: 25029231
11. Characteristics of taste and smell alterations reported by patients after starting treatment for lung cancer.
McGreevy J, Orrevall Y, Belqaid K, Wismer W, Tishelman C, Bernhardson BM. *Support Care Cancer.* 2014 Oct;22(10):2635-44. doi: 10.1007/s00520-014-2215-2. Epub 2014 Apr 22. PMID: 24752563
12. Nutrition impact symptoms in a population cohort of head and neck cancer patients: multivariate regression analysis of symptoms on oral intake, weight loss and survival.

- Farhangfar A, Makarewicz M, Ghosh S, Jha N, Scrimger R, Gramlich L, Baracos V.
Oral Oncol. 2014 Sep;50(9):877-83. doi: 10.1016/j.oraloncology.2014.06.009. Epub 2014 Jul 10. PMID: 25017804
13. Nutrition outcomes following implementation of validated swallowing and nutrition guidelines for patients with head and neck cancer.
Brown T, Ross L, Jones L, Hughes B, Banks M.
Support Care Cancer. 2014 Sep;22(9):2381-91. doi: 10.1007/s00520-014-2180-9. Epub 2014 Apr 2. PMID: 24691885
 14. A novel, automated nutrition screening system as a predictor of nutritional risk in an oncology day treatment unit (ODTU).
Abbott J, Teleni L, McKavanagh D, Watson J, McCarthy A, Isenring E.
Support Care Cancer. 2014 Aug;22(8):2107-12. doi: 10.1007/s00520-014-2210-7. Epub 2014 Mar 20. PMID: 24647492
 15. Nutritional assessment of patients with acute leukemia during induction chemotherapy: association with hospital outcomes.
Esfahani A, Ghoreishi Z, Abedi Miran M, Sanaat Z, Ostadrahimi A, Eivazi Ziaei J, Ghayour Nahand M, Asghari Jafarabadi M, Sorousheh Y, Esmaili H.
Leuk Lymphoma. 2014 Aug;55(8):1743-50. doi: 10.3109/10428194.2013.853766. Epub 2013 Nov 14. PMID: 24128069
 16. The influence of nutritional status and disease on adiponectin and TNF- α ; levels in colorectal cancer patients.
Abe Vicente M, Donizetti Silva T, Barão K, Vitor Felipe A, Oyama Missae L, Manoukian Forones N.
Nutr Hosp. 2014 Jul 1;30(1):140-6. doi: 10.3305/nh.2014.30.1.7132. PMID: 25137273
 17. Protocol for a randomized controlled trial of early prophylactic feeding via gastrostomy versus standard care in high risk patients with head and neck cancer.
Brown T, Banks M, Hughes B, Kenny L, Lin C, Bauer J.
BMC Nurs. 2014 Jul 1;13:17. doi: 10.1186/1472-6955-13-17. eCollection 2014. PMID: 25002833
 18. The abridged patient-generated subjective global assessment is a useful tool for early detection and characterization of cancer cachexia.
Vigano AL, di Tomasso J, Kilgour RD, Trutschnigg B, Lucar E, Morais JA, Borod M.
J Acad Nutr Diet. 2014 Jul;114(7):1088-98. doi: 10.1016/j.jand.2013.09.027. Epub 2014 Jan 24. PMID: 24462323
 19. Screening for malnutrition in lung cancer patients undergoing radiotherapy.
Barthelemy N, Streel S, Donneau AF, Coucke P, Albert A, Guillaume M.
Support Care Cancer. 2014 Jun;22(6):1531-6. doi: 10.1007/s00520-013-2116-9. Epub 2014 Jan 14. PMID: 24419662
 20. Telephone-delivered nutrition and exercise counselling after auto-SCT: a pilot, randomised controlled trial.
Hung YC, Bauer JD, Horsely P, Coll J, Bashford J, Isenring EA.
Bone Marrow Transplant. 2014 Jun;49(6):786-92. doi: 10.1038/bmt.2014.52. Epub 2014 Apr 7. PMID: 24710562
 21. Comparison of nutritional status assessment parameters in predicting length of hospital stay in cancer patients.
Mendes J, Alves P, Amaral TF.
Clin Nutr. 2014 Jun;33(3):466-70. doi: 10.1016/j.clnu.2013.06.016. Epub 2013 Jul 4. PMID: 23849810
 22. Nutritional status and related factors of patients with advanced gastrointestinal cancer.
Zhang L, Lu Y, Fang Y.
Br J Nutr. 2014 Apr 14;111(7):1239-44. doi: 10.1017/S000711451300367X. Epub 2014 Jan 6. PMID: 24388608
 23. Weight loss, appetite loss and food intake in cancer patients with cancer cachexia: three peas in a pod? - analysis from a multicenter cross sectional study.
Solheim TS, Blum D, Fayers PM, Hjermstad MJ, Stene GB, Strasser F, Kaasa S.
Acta Oncol. 2014 Apr;53(4):539-46. doi: 10.3109/0284186X.2013.823239. Epub 2013 Sep 2. PMID: 23998647
 24. Nutritional status assessed by scored patient-generated subjective global assessment associated with length of hospital stay in adult patients receiving an appendectomy.
Huang TH, Chi CC, Liu CH, Chang CC, Kuo LM, Hsieh CC.
Biomed J. 2014 Mar-Apr;37(2):71-7. doi: 10.4103/2319-4170.113183. PMID: 24732661
 25. Scored Patient-Generated Subjective Global Assessment, albumin and transferrin for nutritional assessment of gastrostomy fed head or neck cancer patients.
Correia Pereira MA, Santos CA, Almeida Brito J, Fonseca J.
Nutr Hosp. 2014 Feb 1;29(2):420-6. doi: 10.3305/nh.2014.29.2.7066. PMID: 24528363
 26. The use of hand grip strength as a predictor of nutrition status in hospital patients.
Flood A, Chung A, Parker H, Kearns V, O'Sullivan TA.
Clin Nutr. 2014 Feb;33(1):106-14. doi: 10.1016/j.clnu.2013.03.003. Epub 2013 Mar 27. PMID: 23615623
 27. Assessment of nutritional status of gynecological cancer cases in India and comparison of subjective and objective nutrition assessment parameters.

- Das U, Patel S, Dave K, Bhansali R.
South Asian J Cancer. 2014 Jan;3(1):38-42. doi: 10.4103/2278-330X.126518.PMID: 24665445
28. Implementation of the Nutrition Care Process and International Dietetics and Nutrition Terminology in a single-center hemodialysis unit: comparing paper vs electronic records.
Rossi M, Campbell KL, Ferguson M.
J Acad Nutr Diet. 2014 Jan;14(1):124-30. doi: 10.1016/j.jand.2013.07.033. Epub 2013 Oct 22. PMID: 24161368
29. Early enteral nutrition after total gastrectomy for gastric cancer.
Chen W, Zhang Z, Xiong M, Meng X, Dai F, Fang J, Wan H, Wang M.
Asia Pac J Clin Nutr. 2014;23(4):607-11. doi: 10.6133/apjcn.2014.23.4.15.PMID: 25516318

2013

1. Nutritional status of haemodialysis patients: comparison of Australian cohorts of Aboriginal and European descent.
Todd A, Carroll R, Gallagher M, Meade A.
Nephrology (Carlton). 2013 Dec;18(12):790-7. doi: 10.1111/nep.12165.PMID: 24118237
2. The association between malnutrition and psychological distress in patients with advanced head-and-neck cancer.
Ma L, Poulin P, Feldstain A, Chasen MR.
Curr Oncol. 2013 Dec;20(6):e554-60. doi: 10.3747/co.20.1651. PMID: 24311956
3. Outcomes of a culturally responsive health promotion program for elderly Korean survivors of gastrointestinal cancers: a randomized controlled trial.
Suh EE, Kim H, Kang J, Kim H, Park KO, Jeong BL, Park SM, Jeong SY, Park KJ, Lee K, Jekal M.
Geriatr Nurs. 2013 Nov-Dec;34(6):445-52. doi: 10.1016/j.gerinurse.2013.09.007. Epub 2013 Oct 1. PMID: 24156925
4. Perioperative nutritional status changes in gastrointestinal cancer patients.
Shim H, Cheong JH, Lee KY, Lee H, Lee JG, Noh SH.
Yonsei Med J. 2013 Nov;54(6):1370-6. doi: 10.3349/ymj.2013.54.6.1370.PMID: 24142640
5. Validation of nutritional risk index method against patient-generated subjective global assessment in screening malnutrition in colorectal cancer patients.
Faramarzi E, Mahdavi R, Mohammad-Zadeh M, Nasirimotlagh B.
Chin J Cancer Res. 2013 Oct;25(5):544-8. doi: 10.3978/j.issn.1000-9604.2013.10.04.PMID: 24255578
6. Longitudinal quality of life in Turkish patients with head and neck cancer undergoing radiotherapy.
Citak E, Tulek Z.
Support Care Cancer. 2013 Aug;21(8):2171-83. doi: 10.1007/s00520-013-1774-y. Epub 2013 Mar 9. PMID: 23475195
7. Nutritional status and quality of life in patients with acute leukaemia prior to and after induction chemotherapy in three hospitals in Tehran, Iran: a prospective study.
Malihi Z, Kandiah M, Chan YM, Hosseinzadeh M, Sohanaki Azad M, Zarif Yeganeh M.
J Hum Nutr Diet. 2013 Jul;26 Suppl 1:123-31. doi: 10.1111/jhn.12043. Epub 2013 Apr 30.PMID: 23627676
8. Role of nutrition impact symptoms in predicting nutritional status and clinical outcome in hemodialysis patients: a potential screening tool.
Campbell KL, Bauer JD, Ikehiro A, Johnson DW.
J Ren Nutr. 2013 Jul;23(4):302-7. doi: 10.1053/j.jrn.2012.07.001. Epub 2012 Sep 29.PMID: 23026502
9. [Association of nutrition with treatment compliance and toxicities in patients undergoing chemoradiation after gastrectomy].
Li QW, Li GC, Wang YN, Long ZW, Liu XW, Zhang Z.
Zhonghua Wei Chang Wai Ke Za Zhi. 2013 Jun;16(6):529-33.PMID: 23801204 Chinese.
10. Changes in nutritional status, body composition, quality of life, and physical activity levels of cancer patients undergoing autologous peripheral blood stem cell transplantation.
Hung YC, Bauer J, Horsley P, Waterhouse M, Bashford J, Isenring E.
Support Care Cancer. 2013 Jun;21(6):1579-86. doi: 10.1007/s00520-012-1698-y. Epub 2013 Jan 10.PMID: 23306934
11. What are the most effective methods for assessment of nutritional status in outpatients with gastric and colorectal cancer?
Abe Vicente M, Barão K, Silva TD, Forones NM.
Nutr Hosp. 2013 May-Jun;28(3):585-91. doi: 10.3305/nh.2013.28.3.6413.PMID: 23848075
12. Nutritional status of patients with gastrointestinal cancer receiving care in a public hospital: 2010-2011.
Dias do Prado C, Alvares Duarte Bonini Campos J.
Nutr Hosp. 2013 Mar-Apr;28(2):405-11. doi: 10.3305/nh.2013.28.2.6305.PMID: 23822692
13. The effects of patient participation-based dietary intervention on nutritional and functional status for patients with gastrectomy: a randomized controlled trial.

- Kim H, Suh EE, Lee HJ, Yang HK.
Cancer Nurs. 2014 Mar-Apr;37(2):E10-20. doi: 10.1097/NCC.0b013e31829193c8. PMID: 23632471
14. Malnutrition in patients with cancer: four years experience.
Fernández López MT, Saenz Fernández CA, de Sás Prada MT, Alonso Urrutia S, Bardasco Alonso ML, Alves Pérez MT, Rivero Luis MT, Alvarez Vázquez P, Mato Mato JA.
Nutr Hosp. 2013 Mar-Apr;28(2):372-81. doi: 10.3305/nh.2013.28.2.6239. Spanish. PMID: 23822688
 15. Nutrition impact symptoms in advanced cancer patients: frequency and specific interventions, a case-control study.
Omlin A, Blum D, Wierecky J, Haile SR, Ottery FD, Strasser F.
J Cachexia Sarcopenia Muscle. 2013 Mar;4(1):55-61. doi: 10.1007/s13539-012-0099-x. Epub 2013 Jan 11. PMID: 23307589
 16. The clinical significance of the mini-nutritional assessment and the scored patient-generated subjective global assessment in elderly patients with stroke.
Kim EJ, Yoon YH, Kim WH, Lee KL, Park JM.
Ann Rehabil Med. 2013 Feb;37(1):66-71. doi: 10.5535/arm.2013.37.1.66. Epub 2013 Feb 28. PMID: 23525367
 17. Nutritional status in Parkinson's disease patients undergoing deep brain stimulation surgery: a pilot study.
Sheard JM, Ash S, Silburn PA, Kerr GK.
J Nutr Health Aging. 2013 Feb;17(2):148-51. doi: 10.1007/s12603-012-0386-4. PMID: 23364493
 18. Predict factors associated with malnutrition from patient generated subjective global assessment (PG-SGA) in head and neck cancer patients.
Arribas L, Hurtós L, Milà R, Fort E, Peiró I.
Nutr Hosp. 2013 Jan-Feb;28(1):155-63. doi: 10.3305/nh.2013.28.1.6168. PMID: 23808444 Spanish.
 19. A prospective study of nutritional status in immunoglobulin light chain amyloidosis.
Sattianayagam PT, Lane T, Fox Z, Petrie A, Gibbs SD, Pinney JH, Risom SS, Rowczenio DM, Wechalekar AD, Lachmann HJ, Gilbertson JA, Hawkins PN, Gillmore JD.
Haematologica. 2013 Jan;98(1):136-40. doi: 10.3324/haematol.2012.070359. Epub 2012 Sep 14. PMID: 22983575
 20. Validation of the Head and Neck Patient Symptom Checklist as a nutrition impact symptom assessment tool for head and neck cancer patients.
Schmidt KN, Olson K, Kubrak C, Parliament M, Ghosh S.
Support Care Cancer. 2013 Jan;21(1):27-34. doi: 10.1007/s00520-012-1483-y. Epub 2012 May 16. PMID: 22588710
 21. The impact of chemotherapy-related nausea on patients' nutritional status, psychological distress and quality of life.
Farrell C, Brearley SG, Pilling M, Molassiotis A.
Support Care Cancer. 2013 Jan;21(1):59-66. doi: 10.1007/s00520-012-1493-9. Epub 2012 May 19. PMID: 22610269
 22. Association of nutritional status with quality of life in breast cancer survivors.
Mohammadi S, Sulaiman S, Koon PB, Amani R, Hosseini SM.
Asian Pac J Cancer Prev. 2013;14(12):7749-55. doi: 10.7314/apjcp.2013.14.12.7749. PMID: 24460363
 23. Markers of disease severity are associated with malnutrition in Parkinson's disease.
Sheard JM, Ash S, Mellick GD, Silburn PA, Kerr GK.
PLoS One. 2013;8(3):e57986. doi: 10.1371/journal.pone.0057986. Epub 2013 Mar 27. PMID: 23544041
 24. Use of an abridged scored Patient-Generated Subjective Global Assessment (abPG-SGA) as a nutritional screening tool for cancer patients in an outpatient setting.
Gabielson DK, Scaffidi D, Leung E, Stoyanoff L, Robinson J, Nisenbaum R, Brezden-Masley C, Darling PB.
Nutr Cancer. 2013;65(2):234-9. doi: 10.1080/01635581.2013.755554. PMID: 23441610
 25. Malnutrition in a sample of community-dwelling people with Parkinson's disease.
Sheard JM, Ash S, Mellick GD, Silburn PA, Kerr GK.
PLoS One. 2013;8(1):e53290. doi: 10.1371/journal.pone.0053290. Epub 2013 Jan 9. PMID: 23326408
 26. Markers of disease severity are associated with malnutrition in Parkinson's disease.
Sheard JM, Ash S, Mellick GD, Silburn PA, Kerr GK.
PLoS One. 2013;8(3):e57986. doi: 10.1371/journal.pone.0057986. Epub 2013 Mar 27. PMID: 23544041

2012

1. Effects of a new mixture of essential amino acids (Aminotrofic®) in malnourished haemodialysis patients.
Sukkar SG, Gallo F, Borriani C, Vaccaro A, Marchello C, Boicelli R, Borgarelli C, Solari P, Ratto CE, Ravera G.
Med J Nutrition Metab. 2012 Dec;5(3):259-266. doi: 10.1007/s12349-012-0098-7. Epub 2012 Jun 22. PMID: 23227299
2. A description of the nutritional status and quality of life of Australian gynaecological cancer patients over time.
Ryan M, White K, Roydhouse JK, Fethney J.

- Eur J Oncol Nurs. 2012 Dec;16(5):453-9. doi: 10.1016/j.ejon.2011.10.007. Epub 2011 Nov 21. PMID: 22104702
3. An exploratory study to clarify the cluster of symptoms predictive of chemotherapy-related nausea using random forest modeling.
Molassiotis A, Farrell C, Bourne K, Brearley SG, Pilling M.
J Pain Symptom Manage. 2012 Nov;44(5):692-703. doi: 10.1016/j.jpainsymman.2011.11.003. Epub 2012 Jun 5. PMID: 22672920
 4. [Overweight/obesity in women and its implication in breast cancer: age of diagnosis].
Aguilar Cordero MJ, Neri Sánchez M, Padilla López CA, Pimentel Ramírez ML, García Rillo A, Mur Villar N.
Nutr Hosp. 2012 Sep-Oct;27(5):1643-7. doi: 10.3305/nh.2012.27.5.5998.PMID: 23478718 Spanish.
 5. Relationships between appetite and quality of life in hemodialysis patients.
Zabel R, Ash S, King N, Juffs P, Bauer J.
Appetite. 2012 Aug;59(1):194-9. doi: 10.1016/j.appet.2012.02.016. Epub 2012 Feb 21. PMID: 22366641
 6. Relationship between nutritional status, physical activity and quality of life among gastrointestinal cancer survivors.
Zalina AZ, Lee VC, Kandiah M. Malays
J Nutr. 2012 Aug;18(2):255-64. PMID: 24575671
 7. Nutritional intake and nutritional status by the type of hematopoietic stem cell transplantation.
So EJ, Lee JS, Kim JY.
Clin Nutr Res. 2012 Jul;1(1):3-12. doi: 10.7762/cnr.2012.1.1.3. Epub 2012 Jul 26.PMID: 23430590
 8. Validation of the Malnutrition Universal Screening Tool (MUST) in cancer.
Boléo-Tomé C, Monteiro-Grillo I, Camilo M, Ravasco P.
Br J Nutr. 2012 Jul;108(2):343-8. doi: 10.1017/S000711451100571X. Epub 2011 Dec 6.PMID: 22142968
 9. Nutritional and psychosocial status of colorectal cancer patients referred to an outpatient oncology clinic.
Daudt HM, Cosby C, Dennis DL, Payeur N, Nurullah R.
Support Care Cancer. 2012 Jul;20(7):1417-23. doi: 10.1007/s00520-011-1224-7. Epub 2011 Jul 7. PMID: 21748465
 10. Gastrointestinal symptoms, electrogastrography, inflammatory markers, and **PG-SGA** in patients with advanced cancer.
Chasen M, Bhargava R.
Support Care Cancer. 2012 Jun;20(6):1283-90. doi: 10.1007/s00520-011-1215-8. Epub 2011 Jun 19.PMID: 21688162
 11. Cross-cultural adaptation of the Portuguese version of the Patient-Generated Subjective Global Assessment.
Duarte Bonini Campos JA, Dias do Prado C.
Nutr Hosp. 2012 Mar-Apr;27(2):583-9. doi: 10.1590/S0212-16112012000200035. PMID: 22732987
 12. [Assessment of nutritional status of patients candidates for lung resection by 2 methods].
Carnero Gregorio M, Obeso Carillo GA, Durán Toconas JC, Villaverde Taboada C, García-Mayor García RV, Cañizares Carretero MA, Pérez Méndez LF.
Nutr Hosp. 2012 Mar-Apr;27(2):558-63. doi: 10.1590/S0212-16112012000200032. Spanish. PMID: 22732984
 13. Baseline depression predicts malnutrition in head and neck cancer patients undergoing radiotherapy.
Britton B, Clover K, Bateman L, Odelli C, Wenham K, Zeman A, Carter GL.
Support Care Cancer. 2012 Feb;20(2):335-42. doi: 10.1007/s00520-011-1087-y. Epub 2011 Jan 14. PMID: 21234608
 14. Adapted ice cream as a nutritional supplement in cancer patients: impact on quality of life and nutritional status.
Casas F, León C, Jovell E, Gómez J, Corvitto A, Blanco R, Alfaro J, Ángel Seguí M, Saigí E, Massanés T, Sala C, Librán A, Arcusa A.
Clin Transl Oncol. 2012 Jan;14(1):66-72. doi: 10.1007/s12094-012-0763-9.PMID: 22262721
 15. Preoperative nutritional assessment and prognosis in patients with foregut tumors.
Poziomyck AK, Weston AC, Lameu EB, Cassol OS, Coelho LJ, Moreira LF.
Nutr Cancer. 2012;64(8):1174-81. doi: 10.1080/01635581.2012.721157.PMID: 23163846
 16. A clinical audit of the nutritional status and need for nutrition support amongst head and neck cancer patients treated with radiotherapy.
Jeffery E, Sherriff J, Langdon C.
Australas Med J. 2012;5(1):8-13. doi: 10.4066/AMJ.2012910. Epub 2012 Jan 31.PMID: 22905049
 17. Nutritional assessment of cancer patients in Tehran, Iran.
Khoshnevis N, Ahmadizar F, Alizadeh M, Akbari ME.
Asian Pac J Cancer Prev. 2012;13(4):1621-6. doi: 10.7314/apjcp.2012.13.4.1621.PMID: 22799378
 18. The cachexia clinic: from staging to managing nutritional and functional problems in advanced cancer patients.
Vigano A, Del Fabbro E, Bruera E, Borod M.
Crit Rev Oncog. 2012;17(3):293-303. PMID: 22831160

1. Development and validation of a nutrition screening tool for hospitalized cancer patients.
Kim JY, Wie GA, Cho YA, Kim SY, Kim SM, Son KH, Park SJ, Nam BH, Joung H.
Clin Nutr. 2011 Dec;30(6):724-9. doi: 10.1016/j.clnu.2011.06.001. Epub 2011 Aug 2.PMID: 21813215
2. [Research training in nutrition: relevance for medical clinical practice].
Coronha AL, Lourenço C, Ferreira M, Reis N, Almeida R, Boléo-Tomé C, Monteiro-Grillo I, Camilo ME, Ravasco P.
Acta Med Port. 2011 Nov-Dec;24(6):885-92. Epub 2012 Feb 20.PMID: 22713181 Portuguese.
3. [Efficacy evaluation of an oral powder supplement enriched with eicosapentaenoic acid in cancer patients].
Gómez-Candela C, Villarino Sanz M, Horrisberger A, Loria Kohen V, Bermejo LM, Zamora Auñón P.
Nutr Hosp. 2011 Nov-Dec;26(6):1385-93. doi: 10.1590/S0212-16112011000600028.PMID: 22411387 Spanish.
4. Evaluation of the Patient-Generated Subjective Global Assessment (PG-SGA) as a predictor of febrile neutropenia in gynecologic cancer patients receiving combination chemotherapy: a pilot study.
Phippen NT, Lowery WJ, Barnett JC, Hall LA, Landt C, Leath CA 3rd.
Gynecol Oncol. 2011 Nov;123(2):360-4. doi: 10.1016/j.ygyno.2011.07.093. Epub 2011 Aug 23.PMID: 21864889
5. Comparison of PG-SGA, SGA and body-composition measurement in detecting malnutrition among newly diagnosed lung cancer patients in stage IIIB/IV and benign conditions.
Li R, Wu J, Ma M, Pei J, Song Y, Zhang X, Han B.
Med Oncol. 2011 Sep;28(3):689-96. doi: 10.1007/s12032-010-9534-z. Epub 2010 Apr 27.PMID: 20422319
6. Reliability of scored patient generated subjective global assessment for nutritional status among HIV infected adults in TASO, Kampala.
Mokori A, Kabehenda MK, Nabiryo C, Wamuyu MG.
Afr Health Sci. 2011 Aug;11 Suppl 1(Suppl 1):S86-92. doi: 10.4314/ahs.v11i3.70076.PMID: 22135651
7. [Undernutrition and quality of life in non small cell lung cancer patients].
Xará S, Amaral TF, Parente B.
Rev Port Pneumol. 2011 Jul-Aug;17(4):153-8. doi: 10.1016/j.rppneu.2011.01.006. Epub 2011 Jun 12. Portuguese. PMID: 21664101
8. Establishing a cancer nutrition rehabilitation program (CNRP) for ambulatory patients attending an Australian cancer center.
Glare P, Jongs W, Zafiroopoulos B.
Support Care Cancer. 2011 Apr;19(4):445-54. doi: 10.1007/s00520-010-0834-9. Epub 2010 Mar 5.PMID: 20204419
9. Associations between nutritional status, weight loss, radiotherapy treatment toxicity and treatment outcomes in gastrointestinal cancer patients.
Hill A, Kiss N, Hodgson B, Crowe TC, Walsh AD.
Clin Nutr. 2011 Feb;30(1):92-8. doi: 10.1016/j.clnu.2010.07.015. Epub 2010 Aug 17.PMID: 20719409
10. Phase II study of the novel peptide-nucleic acid OHR118 in the management of cancer-related anorexia/cachexia.
Chasen M, Hirschman SZ, Bhargava R.
J Am Med Dir Assoc. 2011 Jan;12(1):62-7. doi: 10.1016/j.jamda.2010.02.012. Epub 2010 May 15.PMID: 21194662 Clinical Trial.
11. Role of nutritional status in predicting the length of stay in cancer: a systematic review of the epidemiological literature.
Gupta D, Vashi PG, Lammersfeld CA, Braun DP.
Ann Nutr Metab. 2011;59(2-4):96-106. doi: 10.1159/000332914. Epub 2011 Dec 2.PMID: 22142719
12. Validity of Patient-Generated Subjective Global Assessment (PG-SGA) in Hospitalized Older Patients
Yoo, Sung-Hee, Lee, Gee Eun, Oh, Hyun Jin, Park, Eun Young, Kim, Yoon Jung, An, Young Hee
J Korean Gerontol Nurs. 2011;13(3): 215-223.

2010

1. [Nutritional status of patients with critical ischemia of the lower extremities].
Claudina P, Amaral T, Dinis da Gama A.
Rev Port Cir Cardiorac Vasc. 2010 Oct-Dec;17(4):239-44.PMID: 22611545 Portuguese.
2. Prognostic factors in patients with advanced cancer: use of the patient-generated subjective global assessment in survival prediction.
Martin L, Watanabe S, Fainsinger R, Lau F, Ghosh S, Quan H, Atkins M, Fassbender K, Downing GM, Baracos V.
J Clin Oncol. 2010 Oct 1;28(28):4376-83. doi: 10.1200/JCO.2009.27.1916. Epub 2010 Aug 30. PMID: 20805456
3. Nutritional status assessed by the Patient-Generated Subjective Global Assessment (PG-SGA) is associated with qualities of diet and life in Korean cerebral infarction patients.

- Lim HJ, Choue R.
Nutrition. 2010 Jul-Aug;26(7-8):766-71. doi: 10.1016/j.nut.2009.10.003. Epub 2010 Jan 15. PMID: 20080033
4. Assessing the nutritional status of patients with sarcoma by using the scored patient-generated subjective global assessment.
Roop C, Piscitelli M, Lynch MP.
Clin J Oncol Nurs. 2010 Jun;14(3):375-7. doi: 10.1188/10.CJON.375-377. PMID: 20529800
 5. Assessment of a malnutrition screening tool in cancer patients].
Gómez Candela C, Olivar Roldán J, García M, Marín M, Madero R, Pérez-Portabella C, Planás M, Mokoroa A, Pereyra F, Martín Palmero A.
Nutr Hosp. 2010 May-Jun;25(3):400-5. Spanish. PMID: 20593122
 6. Pretreatment malnutrition and quality of life - association with prolonged length of hospital stay among patients with gynecological cancer: a cohort study.
Laky B, Janda M, Kondalsamy-Chennakesavan S, Cleghorn G, Obermair A.
BMC Cancer. 2010 May 25;10:232. doi: 10.1186/1471-2407-10-232. PMID: 20497581
 7. A rehabilitation program for patients with gastroesophageal cancer--a pilot study.
Chasen MR, Bhargava R.
Support Care Cancer. 2010 May;18 Suppl 2:S35-40. doi: 10.1007/s00520-010-0828-7. Epub 2010 Feb 23. PMID: 20177712
 8. Nutritional screening tools in daily clinical practice: the focus on cancer.
Leuenberger M, Kurmann S, Stanga Z.
Support Care Cancer. 2010 May;18 Suppl 2:S17-27. doi: 10.1007/s00520-009-0805-1. Epub 2010 Jan 20. PMID: 20087607
 9. Body weight and fat-free mass changes in a cohort of patients receiving chemotherapy.
Halpern-Silveira D, Susin LR, Borges LR, Paiva SI, Assunção MC, Gonzalez MC.
Support Care Cancer. 2010 May;18(5):617-25. doi: 10.1007/s00520-009-0703-6. Epub 2009 Jul 21. PMID: 19621246
 10. Prevalence and influence of malnutrition on quality of life and performance status in patients with locally advanced head and neck cancer before treatment.
Capuano G, Gentile PC, Bianciardi F, Tosti M, Palladino A, Di Palma M.
Support Care Cancer. 2010 Apr;18(4):433-7. doi: 10.1007/s00520-009-0681-8. Epub 2009 Jun 29. PMID: 19562384
 11. Malnutrition in chronic kidney failure: what is the best diagnostic method to assess?].
Oliveira CM, Kubrusly M, Mota RS, Silva CA, Oliveira VN.
J Bras Nefrol. 2010 Mar;32(1):55-68. English, Portuguese. PMID: 21448521
 12. Evolving classification systems for cancer cachexia: ready for clinical practice?
Blum D, Omlin A, Fearon K, Baracos V, Radbruch L, Kaasa S, Strasser F; European Palliative Care Research Collaborative.
Support Care Cancer. 2010 Mar;18(3):273-9. doi: 10.1007/s00520-009-0800-6. PMID: 20076976 Review.
 13. Nutrition impact symptoms: key determinants of reduced dietary intake, weight loss, and reduced functional capacity of patients with head and neck cancer before treatment.
Kubrak C, Olson K, Jha N, Jensen L, McCargar L, Seikaly H, Harris J, Scrimger R, Parliament M, Baracos VE.
Head Neck. 2010 Mar;32(3):290-300. doi: 10.1002/hed.21174. PMID: 19626639
 14. Objective and subjective nutritional assessment of patients with cancer in palliative care.
Kwang AY, Kandiah M.
Am J Hosp Palliat Care. 2010 Mar;27(2):117-26. doi: 10.1177/1049909109353900. Epub 2009 Dec 3. PMID: 19959839
 15. The diversity of nutritional status in cancer: new insights.
Ramos Chaves M, Boléo-Tomé C, Monteiro-Grillo I, Camilo M, Ravasco
Oncologist. 2010;15(5):523-30. doi: 10.1634/theoncologist.2009-0283. Epub 2010 Apr 15. PMID: 20395552
 16. Nutritional status and information needs of medical oncology patients receiving treatment at an Australian public hospital.
Isenring E, Cross G, Kellett E, Koczwara B, Daniels L.
Nutr Cancer. 2010;62(2):220-8. doi: 10.1080/01635580903305276. PMID: 20099196

2009

1. Quantifying the impact of standardized assessment and symptom management tools on symptoms associated with cancer-induced anorexia cachexia syndrome.
Andrew IM, Waterfield K, Hildreth AJ, Kirkpatrick G, Hawkins C.
Palliat Med. 2009 Dec;23(8):680-8. doi: 10.1177/0269216309106980. Epub 2009 Oct 1. PMID: 19797339
2. Nutritional risk factors in planned oncologic surgery: what clinical and biological parameters should be routinely used?

- Antoun S, Rey A, Béal J, Montange F, Pressoir M, Vasson MP, Dupoirion D, Gourdiat-Borye A, Guillaume A, Maget B, Nitenberg G, Raynard B, Bachmann P.
World J Surg. 2009 Aug;33(8):1633-40. doi: 10.1007/s00268-009-0033-3.PMID: 19387725
3. The relationship between subjective appetite sensations, markers of inflammation and appetite in dialysis patients.
Zabel R, Ash S, King N, Bauer J.
J Hum Nutr Diet. 2009 Aug;22(4):343-50. doi: 10.1111/j.1365-277X.2009.00968.x. PMID: 19624402
 4. Early assessment of nutritional status in patients scheduled for colorectal cancer surgery.
Karlsson S, Andersson L, Berglund B.
Gastroenterol Nurs. 2009 Jul-Aug;32(4):265-70. doi: 10.1097/SGA.0b013e3181aead68. PMID: 19696603
 5. Relationship between angiotensin-converting enzyme gene polymorphism and body composition, functional performance, and blood biomarkers in advanced cancer patients.
Vigano A, Trutschnigg B, Kilgour RD, Hamel N, Hornby L, Lucar E, Foulkes W, Tremblay ML, Morais JA.
Clin Cancer Res. 2009 Apr 1;15(7):2442-7. doi: 10.1158/1078-0432.CCR-08-1720. Epub 2009 Mar 3. PMID: 19258445
 6. Impact of nutritional status on the quality of life of advanced cancer patients in hospice home care.
Shahmoradi N, Kandiah M, Peng LS.
Asian Pac J Cancer Prev. 2009;10(6):1003-09.PMID: 20192573

2008

1. Audit of symptoms and prescribing in patients with the anorexia-cachexia syndrome.
Andrew I, Kirkpatrick G, Holden K, Hawkins C.
Pharm World Sci. 2008 Oct;30(5):489-96. doi: 10.1007/s11096-008-9192-9. Epub 2008 Feb 2.PMID: 18246443
2. Assessing the need for a dietitian in radiation oncology.
Gosselin TK, Gilliard L, Tinnen R.
Clin J Oncol Nurs. 2008 Oct;12(5):781-7. doi: 10.1188/08.CJON.781-787. PMID: 18842534
3. The impact of nutrition intervention on quality of life in pre-dialysis chronic kidney disease patients.
Campbell KL, Ash S, Bauer JD.
Clin Nutr. 2008 Aug;27(4):537-44. doi: 10.1016/j.clnu.2008.05.002. Epub 2008 Jun 26. PMID: 18584924
4. Comparison of different nutritional assessments and body-composition measurements in detecting malnutrition among gynecologic cancer patients.
Laky B, Janda M, Cleghorn G, Obermair A.
Am J Clin Nutr. 2008 Jun;87(6):1678-85. doi: 10.1093/ajcn/87.6.1678.PMID: 18541556
5. [The nutritional status of patients with colorectal cancer undergoing chemotherapy].
Heredia M, Canales S, Sáez C, Testillano M.
Farm Hosp. 2008 Jan-Feb;32(1):35-7.PMID: 18426700 Spanish.
6. Integration of prospective quality of life and nutritional assessment as routine components of multidisciplinary care of patients with head and neck cancer.
Oates J, Clark JR, Read J, Reeves N, Gao K, O'Brien CJ.
ANZ J Surg. 2008 Jan-Feb;78(1-2):34-41. doi: 10.1111/j.1445-2197.2007.04353.x. PMID: 18199203
7. Pre- and postoperative nutritional status and predictors for surgical-wound infections in elective orthopaedic and thoracic patients. (<https://www.sciencedirect.com/science/article/pii/S1751499108000164>)
Gunningberg L, Persson C, Åkerfeldt T, Stridsberg M, Swenne CL.
European e-J of Clin Nutr (e-SPEN) 2008;3:e93-e101.

2007

1. Serum concentrations of TNF-alpha as a surrogate marker for malnutrition and worse quality of life in patients with gastric cancer.
Correia M, Cravo M, Marques-Vidal P, Grimble R, Dias-Pereira A, Faias S, Nobre-Leitão C.Clin Nutr. 2007 Dec;26(6):728-35. doi: 10.1016/j.clnu.2007.08.014. Epub 2007 Oct 18.PMID: 17949861
2. Critical evaluation of nutrition screening tools recommended for oncology patients.
Kubrak C, Jensen L.
Cancer Nurs. 2007 Sep-Oct;30(5):E1-6. Review. PMID: 17876173
3. Nutritional status and length of stay in patients admitted to an Acute Assessment Unit.
Thomas JM, Isenring E, Kellett E.
J Hum Nutr Diet. 2007 Aug;20(4):320-8. doi: 10.1111/j.1365-277X.2007.00765.x.PMID: 17635309
4. Malnutrition among gynaecological cancer patients.
Laky B, Janda M, Bauer J, Vavra C, Cleghorn G, Obermair A.
Eur J Clin Nutr. 2007 May;61(5):642-6. doi: 10.1038/sj.ejcn.1602540. Epub 2006 Oct 4.PMID: 17021596
5. Evaluation of nutrition assessment tools compared with body cell mass for the assessment of malnutrition in chronic kidney disease.

- Campbell KL, Ash S, Bauer JD, Davies PS.
J Ren Nutr. 2007 May;17(3):189-95. PMID: 17462551
6. Consequences of radiotherapy on nutritional status, dietary intake, serum zinc and copper levels in patients with gastrointestinal tract and head and neck cancer.
Mahdavi R, Faramarzi E, Mohammad-Zadeh M, Ghaeammaghami J, Jabbari MV.
Saudi Med J. 2007 Mar;28(3):435-40.PMID: 17334475
 7. Symptoms and weight loss in patients with gastrointestinal and lung cancer at presentation.
Khalid U, Spiro A, Baldwin C, Sharma B, McGough C, Norman AR, Eisen T, O'Brien ME, Cunningham D, Andreyev HJ.
Support Care Cancer. 2007 Jan;15(1):39-46. doi: 10.1007/s00520-006-0091-0. Epub 2006 Jun 20.PMID: 16786329

2006

1. Validity of the malnutrition screening tool as an effective predictor of nutritional risk in oncology outpatients receiving chemotherapy.
Isenring E, Cross G, Daniels L, Kellett E, Koczwara B.
Support Care Cancer. 2006 Nov;14(11):1152-6. doi: 10.1007/s0052
2. Indications and limitations of the use of subjective global assessment in clinical practice: an update.
Barbosa-Silva MC, Barros AJ.
Curr Opin Clin Nutr Metab Care. 2006 May;9(3):263-9. Review. PMID: 16607126
3. Usefulness of oral mucosal epithelial cell apoptosis rate in nutritional assessment.
Luo X, Zhou Y, Tao D, Yu Y, Hu J, Qiu F, Kulkarni H, Gong J.
Nutrition. 2006 Oct;22(10):1032-8. Epub 2006 Sep 15. PMID: 16979323
4. Evaluation of nutritional and inflammatory status of advanced colorectal cancer patients and its correlation with survival.
Read JA, Choy ST, Beale PJ, Clarke SJ.
Nutr Cancer. 2006;55(1):78-85. PMID: 16965244
5. Yoo, S. H., Oh, E. G., & Youn, M. J. (2009). The reliability and validity of Patient-Generated Subjective Global Assessment (PG-SGA) in stroke patients. Korean Journal of Adult Nursing, 21 (6), 559-569.

2005

1. Malnutrition determined by the patient-generated subjective global assessment is associated with poor outcomes in acute stroke patients.
Martineau J, Bauer JD, Isenring E, Cohen S.
Clin Nutr. 2005 Dec;24(6):1073-7. doi: 10.1016/j.clnu.2005.08.010. Epub 2005 Oct 5.PMID: 16213064
2. An epidemiological evaluation of the prevalence of malnutrition in Spanish patients with locally advanced or metastatic cancer.
Segura A, Pardo J, Jara C, Zugazabeitia L, Carulla J, de Las Peñas R, García-Cabrera E, Luz Azuara M, Casadó J, Gómez-Candela C.
Clin Nutr. 2005 Oct;24(5):801-14. doi: 10.1016/j.clnu.2005.05.001.PMID: 15993517
3. Poor nutritional status prior to peripheral blood stem cell transplantation is associated with increased length of hospital stay.
Horsley P, Bauer J, Gallagher B.
Bone Marrow Transplant. 2005 Jun;35(11):1113-6. doi: 10.1038/sj.bmt.1704963.PMID: 15821765
4. Assessment of nutritional status in hemodialysis patients using patient-generated subjective global assessment.
Desbrow B, Bauer J, Blum C, Kandasamy A, McDonald A, Montgomery K.
J Ren Nutr. 2005 Apr;15(2):211-6. doi: 10.1053/j.jrn.2004.10.005.PMID: 15827894
5. Nutritional assessment in cancer: comparing the Mini-Nutritional Assessment (MNA) with the scored Patient-Generated Subjective Global Assessment (PGSGA).
Read JA, Crockett N, Volker DH, MacLennan P, Choy ST, Beale P, Clarke SJ.
Nutr Cancer. 2005;53(1):51-6. PMID: 16351506
6. Nutrition intervention improves outcomes in patients with cancer cachexia receiving chemotherapy--a pilot study.
Bauer JD, Capra S.
Support Care Cancer. 2005 Apr;13(4):270-4. Epub 2004 Dec 4. PMID: 15583950

2003

1. A chart review, pilot study of two single-item screens to detect cancer patients at risk for cachexia.
Kirsh KL, Dugan C, Theobald DE, Passik SD.
Palliat Support Care. 2003 Dec;1(4):331-5.PMID: 16594222
2. Use of a supportive care team for screening and preemptive intervention among multiple myeloma patients receiving stem cell transplantation.

Sherman AC, Coleman EA, Griffith K, Simonton S, Hine RJ, Cromer J, Latif U, Farley H, Garcia R, Anaissie EJ.
Support Care Cancer. 2003 Sep;11(9):568-74. doi: 10.1007/s00520-003-0464-6. Epub 2003 Jun 25. PMID: 12827482

3. The scored Patient-generated Subjective Global Assessment (PG-SGA) and its association with quality of life in ambulatory patients receiving radiotherapy.
Isenring E, Bauer J, Capra S.
Eur J Clin Nutr. 2003 Feb;57(2):305-9. doi: 10.1038/sj.ejcn.1601552. PMID: 12571664

2002

1. Use of the scored Patient-Generated Subjective Global Assessment (PG-SGA) as a nutrition assessment tool in patients with cancer.
Bauer J, Capra S, Ferguson M.
Eur J Clin Nutr. 2002 Aug;56(8):779-85. doi: 10.1038/sj.ejcn.1601412. PMID: 12122555

2001

1. Clinical significance of weight loss in cancer patients: rationale for the use of anabolic agents in the treatment of cancer-related cachexia.
Langer CJ, Hoffman JP, Ottery FD.
Nutrition. 2001 Jan;17(1 Suppl):S1-20. Review. No abstract available. PMID: 11428126

2000

1. Bidirectional interplay of nutrition and chemotherapy.
Ottery FD.
Nestle Nutr Workshop Ser Clin Perform Programme. 2000;4:183-202; discussion 203-6. Review. No abstract available. PMID: 11490573

1999

1. [Good clinical practice in nutritional management in cancer patients: malnutrition and nutritional assessment].
Duguet A, Bachmann P, Lallemand Y, Blanc-Vincent MP. Bull Cancer. 1999 Dec;86(12):997-1016. PMID: 10660694 French.
2. The Swedish version of the patient-generated subjective global assessment of nutritional status: gastrointestinal vs urological cancers.
Persson C, Sjöden PO, Glimelius B. Clin Nutr. 1999 Apr;18(2):71-7. doi: 10.1016/s0261-5614(99)80054-5. PMID: 10459083

1998

1. Integrating proactive nutritional assessment in clinical practices to prevent complications and cost.
McMahon K, Decker G, Ottery FD.
Semin Oncol. 1998 Apr;25(2 Suppl 6):20-7. PMID: 9625379

1996

1. Definition of standardized nutritional assessment and interventional pathways in oncology.
Ottery FD.
Nutrition. 1996 Jan;12(1 Suppl):S15-9. Review. PMID:8850213
2. Supportive nutritional management of the patient with pancreatic cancer.
Ottery F.
Oncology (Williston Park). 1996 Sep;10(9 Suppl):26-32. Review. PMID: 8884805

1994

1. Rethinking nutritional support of the cancer patient: the new field of nutritional oncology.
Ottery FD.
Semin Oncol. 1994 Dec;21(6):770-8. Review. No abstract available. PMID: 7992092
2. Cancer cachexia: prevention, early diagnosis, and management.
Ottery FD.
Cancer Pract. 1994 Mar-Apr;2(2):123-31. Review. Erratum in: Cancer Pract 1994 Jul-Aug;2(4):263. PMID: 8055014

